

OSCAR Data Report: Nursing Facility Patient Characteristics Report

June 2010 Update

Prepared By

Research Department
American Health Care Association



© American Health Care Association, 2010



Activities of Daily Living - Bathing - Percent of Patients and Dependency CMS OSCAR Data Current Surveys, June 2010

State	Independent	Assisted	Dependent	Total Bathing Dependence
US	3.86%	61.94%	34.21%	96.14%
AK	2.72%	66.40%	30.88%	97.28%
AL	2.37%	57.69%	39.94%	97.63%
AR	4.26%	59.57%	36.17%	95.74%
AZ	2.52%	67.27%	30.21%	97.48%
CA	4.23%	54.59%	41.18%	95.77%
CO	3.25%	69.25%	27.50%	96.75%
CT	6.14%	57.88%	35.99%	93.86%
DC	10.36%	43.35%	46.29%	89.64%
DE	5.01%	52.28%	42.71%	94.99%
FL	2.91%	61.76%	35.33%	97.09%
GA	2.71%	52.90%	44.39%	97.29%
HI	1.45%	54.22%	44.33%	98.55%
IA	1.05%	79.13%	19.83%	98.95%
ID	1.63%	73.79%	24.58%	98.37%
IL	11.50%	69.71%	18.79%	88.50%
IN	3.85%	66.69%	29.46%	96.15%
KS	3.93%	70.94%	25.13%	96.07%
KY	2.08%	60.06%	37.86%	97.92%
LA	4.45%	61.96%	33.59%	95.55%
MA	4.18%	55.49%	40.32%	95.82%
MD	3.96%	48.25%	47.79%	96.04%
ME	2.51%	62.81%	34.68%	97.49%
MI	1.74%	70.60%	27.66%	98.26%
MN	2.94%	74.69%	22.37%	97.06%
MO	5.49%	69.04%	25.47%	94.51%
MS	2.07%	67.32%	30.62%	97.93%
MT	2.19%	74.04%	23.77%	97.81%
NC	3.14%	49.83%	47.03%	96.86%
ND	1.47%	79.20%	19.33%	98.53%
NE	1.56%	69.43%	29.01%	98.44%
NH	4.33%	69.57%	26.10%	95.67%
NJ	4.94%	57.17%	37.88%	95.06%
NM	1.96%	66.03%	32.02%	98.04%
NV	3.84%	54.44%	41.71%	96.16%
NY	4.06%	60.16%	35.78%	95.94%
OH	3.14%	68.19%	28.67%	96.86%
OK	5.28%	68.86%	25.87%	94.72%
OR	1.70%	71.23%	27.07%	98.30%
PA	4.13%	56.78%	39.09%	95.87%
RI	4.94%	64.12%	30.93%	95.06%
SC	1.75%	52.05%	46.20%	98.25%
SD	1.08%	81.26%	17.66%	98.92%
TN	2.09%	58.39%	39.52%	97.91%
TX	2.85%	58.73%	38.42%	97.15%
UT	2.28%	67.50%	30.22%	97.72%
VA	3.25%	50.56%	46.19%	96.75%



Activities of Daily Living - Bathing - Percent of Patients and Dependency CMS OSCAR Data Current Surveys, June 2010

State	Independent	Assisted	Dependent	Total Bathing Dependence
VT	2.94%	62.87%	34.19%	97.06%
WA	1.74%	73.84%	24.42%	98.26%
WI	2.88%	70.12%	27.00%	97.12%
WV	2.12%	52.01%	45.87%	97.88%
WY	2.31%	70.34%	27.35%	97.69%



Activities of Daily Living - Dressing - Percent of Patients and Dependency CMS OSCAR Data Current Surveys, June 2010

State	Independent	Assisted	Dependent	Total Dressing Dependence
US	9.89%	65.91%	24.20%	90.11%
AK	8.96%	67.36%	23.68%	91.04%
AL	8.08%	63.57%	28.35%	91.92%
AR	12.38%	62.21%	25.41%	87.62%
AZ	10.31%	66.97%	22.72%	89.69%
CA	7.89%	62.38%	29.73%	92.11%
CO	13.23%	69.75%	17.02%	86.77%
CT	11.43%	58.76%	29.81%	88.57%
DC	14.49%	45.22%	40.29%	85.51%
DE	12.07%	55.41%	32.52%	87.93%
FL	7.06%	64.19%	28.75%	92.94%
GA	8.22%	61.62%	30.16%	91.78%
HI	2.76%	67.06%	30.17%	97.24%
IA	12.01%	74.04%	13.95%	87.99%
ID	7.78%	76.16%	16.06%	92.22%
IL	19.18%	67.03%	13.78%	80.82%
IN	9.89%	71.65%	18.46%	90.11%
KS	16.49%	67.48%	16.03%	83.51%
KY	5.83%	68.07%	26.10%	94.17%
LA	14.85%	62.01%	23.14%	85.15%
MA	6.09%	59.17%	34.74%	93.91%
MD	7.06%	54.60%	38.34%	92.94%
ME	3.26%	78.98%	17.76%	96.74%
MI	6.91%	73.92%	19.17%	93.09%
MN	12.44%	75.70%	11.86%	87.56%
MO	16.50%	64.36%	19.15%	83.50%
MS	10.87%	71.30%	17.83%	89.13%
MT	14.88%	70.93%	14.19%	85.12%
NC	7.07%	63.63%	29.30%	92.93%
ND	13.33%	76.40%	10.27%	86.67%
NE	12.23%	70.26%	17.51%	87.77%
NH	11.03%	71.06%	17.91%	88.97%
NJ	10.32%	57.54%	32.14%	89.68%
NM	6.70%	70.64%	22.65%	93.30%
NV	9.83%	64.08%	26.09%	90.17%
NY	8.95%	63.55%	27.51%	91.05%
OH	7.72%	73.73%	18.55%	92.28%
OK	17.69%	62.79%	19.52%	82.31%
OR	6.79%	75.13%	18.08%	93.21%
PA	7.22%	67.70%	25.08%	92.78%
RI	10.82%	65.13%	24.05%	89.18%
SC	2.72%	64.03%	33.26%	97.28%
SD	14.64%	76.38%	8.98%	85.36%
TN	5.91%	66.01%	28.08%	94.09%
TX	12.91%	61.88%	25.21%	87.09%
UT	6.18%	74.66%	19.16%	93.82%
VA	7.40%	60.62%	31.98%	92.60%



Activities of Daily Living - Dressing - Percent of Patients and Dependency CMS OSCAR Data Current Surveys, June 2010

State	Independent	Assisted	Dependent	Total Dressing Dependence
VT	7.14%	69.83%	23.03%	92.86%
WA	6.83%	78.22%	14.95%	93.17%
WI	10.33%	72.25%	17.42%	89.67%
WV	7.63%	66.78%	25.59%	92.37%
WY	13.46%	68.20%	18.34%	86.54%



**Activities of Daily Living - Eating - Percent of Patients and Dependency
CMS OSCAR Data Current Surveys, June 2010**

State	Independent	Assisted	Dependent	Total Eating Dependence
US	46.02%	38.99%	14.98%	53.98%
AK	47.36%	34.24%	18.40%	52.64%
AL	49.24%	31.34%	19.42%	50.76%
AR	53.25%	30.94%	15.81%	46.75%
AZ	50.16%	38.05%	11.79%	49.84%
CA	40.59%	37.32%	22.09%	59.41%
CO	47.18%	43.79%	9.03%	52.82%
CT	56.98%	26.72%	16.30%	43.02%
DC	48.67%	27.71%	23.62%	51.33%
DE	55.84%	28.52%	15.63%	44.16%
FL	44.87%	37.74%	17.38%	55.13%
GA	39.75%	41.60%	18.65%	60.25%
HI	34.77%	37.85%	27.38%	65.23%
IA	57.13%	35.26%	7.60%	42.87%
ID	40.50%	49.53%	9.97%	59.50%
IL	52.40%	37.73%	9.87%	47.60%
IN	39.40%	50.06%	10.54%	60.60%
KS	50.77%	40.17%	9.06%	49.23%
KY	47.74%	34.60%	17.66%	52.26%
LA	35.85%	49.95%	14.21%	64.15%
MA	52.25%	32.54%	15.21%	47.75%
MD	43.87%	36.76%	19.38%	56.13%
ME	50.98%	37.29%	11.74%	49.02%
MI	52.02%	34.82%	13.16%	47.98%
MN	55.11%	36.70%	8.19%	44.89%
MO	48.15%	41.19%	10.66%	51.85%
MS	44.59%	38.46%	16.94%	55.41%
MT	46.94%	44.21%	8.85%	53.06%
NC	42.00%	40.33%	17.67%	58.00%
ND	60.81%	31.23%	7.96%	39.19%
NE	46.94%	43.78%	9.28%	53.06%
NH	58.30%	31.39%	10.31%	41.70%
NJ	50.60%	32.07%	17.33%	49.40%
NM	31.17%	57.91%	10.92%	68.83%
NV	43.18%	42.05%	14.77%	56.82%
NY	39.85%	41.31%	18.84%	60.15%
OH	38.02%	50.33%	11.65%	61.98%
OK	55.65%	32.48%	11.88%	44.35%
OR	49.51%	38.25%	12.24%	50.49%
PA	47.60%	38.61%	13.79%	52.40%
RI	56.90%	31.33%	11.77%	43.10%
SC	39.51%	40.69%	19.79%	60.49%
SD	55.20%	37.54%	7.26%	44.80%
TN	38.89%	42.02%	19.10%	61.11%
TX	47.25%	36.85%	15.90%	52.75%
UT	30.37%	59.89%	9.74%	69.63%
VA	38.36%	43.63%	18.00%	61.64%



Activities of Daily Living - Eating - Percent of Patients and Dependency CMS OSCAR Data Current Surveys, June 2010

State	Independent	Assisted	Dependent	Total Eating Dependence
VT	57.83%	28.91%	13.26%	42.17%
WA	45.36%	43.47%	11.17%	54.64%
WI	56.48%	33.39%	10.13%	43.52%
WV	44.63%	39.48%	15.89%	55.37%
WY	45.14%	47.08%	7.78%	54.86%



Activities of Daily Living - Toileting - Percent of Patients and Dependency CMS OSCAR Data Current Surveys, June 2010

State	Independent	Assisted	Dependent	Total Toileting Dependence
US	15.06%	56.58%	28.36%	84.94%
AK	12.96%	53.28%	33.76%	87.04%
AL	14.30%	48.68%	37.02%	85.70%
AR	18.91%	50.57%	30.52%	81.09%
AZ	14.52%	57.14%	28.34%	85.48%
CA	12.48%	50.08%	37.44%	87.52%
CO	17.00%	62.21%	20.80%	83.00%
CT	19.55%	50.85%	29.60%	80.45%
DC	20.52%	37.75%	41.72%	79.48%
DE	17.22%	47.82%	34.96%	82.78%
FL	11.24%	54.95%	33.81%	88.76%
GA	13.11%	47.79%	39.10%	86.89%
HI	4.47%	52.36%	43.17%	95.53%
IA	19.77%	61.88%	18.35%	80.23%
ID	10.67%	68.39%	20.94%	89.33%
IL	26.91%	55.00%	18.09%	73.09%
IN	14.40%	65.65%	19.95%	85.60%
KS	21.95%	59.82%	18.22%	78.05%
KY	10.60%	60.03%	29.36%	89.40%
LA	21.95%	49.19%	28.87%	78.05%
MA	13.13%	56.79%	30.08%	86.87%
MD	11.13%	47.77%	41.10%	88.87%
ME	4.83%	74.81%	20.37%	95.17%
MI	11.03%	64.91%	24.07%	88.97%
MN	17.07%	69.54%	13.38%	82.93%
MO	22.45%	56.36%	21.18%	77.55%
MS	16.90%	57.95%	25.15%	83.10%
MT	18.23%	64.57%	17.21%	81.77%
NC	10.52%	54.25%	35.23%	89.48%
ND	18.44%	66.85%	14.71%	81.56%
NE	15.87%	62.36%	21.78%	84.13%
NH	18.30%	60.84%	20.86%	81.70%
NJ	17.42%	50.17%	32.41%	82.58%
NM	11.34%	61.61%	27.06%	88.66%
NV	12.79%	58.35%	28.86%	87.21%
NY	13.60%	55.75%	30.65%	86.40%
OH	11.70%	65.33%	22.97%	88.30%
OK	25.16%	49.21%	25.63%	74.84%
OR	8.78%	63.36%	27.86%	91.22%
PA	11.52%	62.94%	25.53%	88.48%
RI	21.28%	54.18%	24.53%	78.72%
SC	5.75%	51.25%	43.00%	94.25%
SD	18.92%	69.76%	11.32%	81.08%
TN	10.35%	55.71%	33.94%	89.65%
TX	18.66%	48.86%	32.48%	81.34%
UT	9.65%	67.86%	22.49%	90.35%
VA	11.81%	53.23%	34.95%	88.19%



Activities of Daily Living - Toileting - Percent of Patients and Dependency CMS OSCAR Data Current Surveys, June 2010

State	Independent	Assisted	Dependent	Total Toileting Dependence
VT	11.94%	61.58%	26.48%	88.06%
WA	9.59%	67.97%	22.44%	90.41%
WI	16.48%	63.13%	20.39%	83.52%
WV	12.67%	54.84%	32.49%	87.33%
WY	18.01%	59.11%	22.89%	81.99%



**Activities of Daily Living - Transferring - Percent of Patients and Dependency
CMS OSCAR Data, Current Surveys, June 2010**

State	Independent	Assisted	Dependent	Total Transferring Dependence
US	18.52%	58.13%	23.35%	81.48%
AK	16.80%	52.32%	30.88%	83.20%
AL	17.68%	52.18%	30.14%	82.32%
AR	25.12%	50.60%	24.29%	74.88%
AZ	17.78%	58.54%	23.68%	82.22%
CA	14.73%	54.75%	30.52%	85.27%
CO	21.59%	62.07%	16.34%	78.41%
CT	23.35%	52.60%	24.05%	76.65%
DC	22.11%	41.48%	36.40%	77.89%
DE	20.93%	53.31%	25.75%	79.07%
FL	13.54%	58.44%	28.02%	86.46%
GA	16.88%	53.66%	29.46%	83.12%
HI	6.02%	58.69%	35.29%	93.98%
IA	26.53%	59.17%	14.30%	73.47%
ID	13.48%	67.03%	19.49%	86.52%
IL	30.59%	54.84%	14.57%	69.41%
IN	17.39%	65.57%	17.04%	82.61%
KS	26.94%	57.46%	15.60%	73.06%
KY	14.20%	61.03%	24.77%	85.80%
LA	26.07%	51.58%	22.36%	73.93%
MA	15.90%	62.00%	22.10%	84.10%
MD	14.93%	50.40%	34.67%	85.07%
ME	7.90%	73.11%	18.98%	92.10%
MI	14.69%	64.19%	21.12%	85.31%
MN	23.12%	64.06%	12.82%	76.88%
MO	27.97%	54.21%	17.82%	72.03%
MS	21.31%	55.07%	23.62%	78.69%
MT	22.95%	63.52%	13.53%	77.05%
NC	13.11%	57.60%	29.28%	86.89%
ND	25.91%	60.37%	13.72%	74.09%
NE	21.81%	60.58%	17.60%	78.19%
NH	23.43%	59.58%	16.99%	76.57%
NJ	20.28%	53.65%	26.07%	79.72%
NM	14.61%	64.60%	20.79%	85.39%
NV	15.08%	60.05%	24.87%	84.92%
NY	17.12%	56.36%	26.52%	82.88%
OH	14.29%	66.07%	19.64%	85.71%
OK	29.00%	51.13%	19.87%	71.00%
OR	11.97%	65.75%	22.28%	88.03%
PA	14.07%	62.89%	23.04%	85.93%
RI	26.66%	54.32%	19.02%	73.34%
SC	9.00%	59.50%	31.50%	91.00%
SD	25.20%	65.46%	9.34%	74.80%
TN	13.79%	58.42%	27.79%	86.21%
TX	21.73%	53.09%	25.18%	78.27%
UT	11.76%	70.03%	18.22%	88.24%
VA	14.61%	56.62%	28.77%	85.39%



**Activities of Daily Living - Transferring - Percent of Patients and Dependency
CMS OSCAR Data, Current Surveys, June 2010**

State	Independent	Assisted	Dependent	Total Transferring Dependence
VT	17.01%	60.33%	22.66%	82.99%
WA	12.62%	69.55%	17.83%	87.38%
WI	20.29%	61.42%	18.29%	79.71%
WV	15.84%	59.53%	24.64%	84.16%
WY	22.25%	60.37%	17.37%	77.75%



**Nursing Facility Total, Average and Median Number of Patients per Facility
and ADL Dependence
CMS OSCAR Data Current Surveys, June 2010**

State	Facilities	Total Patients	Avg Facility Patients	Median Facility Patients	State Avg ADL Dependence
US	15,701	1,399,856	89.2	82.0	4.07
AK	15	625	41.7	23.0	4.11
AL	228	23,120	101.4	94.0	4.08
AR	232	17,877	77.1	76.0	3.86
AZ	136	11,844	87.1	85.0	4.05
CA	1,244	102,546	82.4	80.0	4.20
CO	211	16,340	77.4	74.0	3.98
CT	239	25,969	108.7	108.0	3.83
DC	19	2,519	132.6	116.0	3.84
DE	47	4,151	88.3	95.0	3.89
FL	677	71,873	106.2	108.0	4.20
GA	359	34,859	97.1	93.0	4.19
HI	48	3,871	80.6	79.0	4.51
IA	442	25,629	58.0	52.0	3.84
ID	79	4,422	56.0	55.0	4.26
IL	790	75,524	95.6	83.0	3.59
IN	503	39,361	78.3	71.0	4.15
KS	342	19,068	55.8	48.5	3.80
KY	285	23,295	81.7	82.0	4.20
LA	284	25,481	89.7	91.5	3.97
MA	429	43,234	100.8	106.0	4.08
MD	230	24,951	108.5	104.5	4.19
ME	109	6,442	59.1	51.0	4.31
MI	430	40,144	93.4	90.5	4.14
MN	386	29,817	77.2	62.5	3.89
MO	513	37,647	73.4	68.0	3.79
MS	203	16,540	81.5	77.0	4.04
MT	89	4,981	56.0	52.0	3.95
NC	424	37,549	88.6	90.0	4.24
ND	84	5,716	68.0	51.5	3.80
NE	224	12,650	56.5	47.0	4.02
NH	80	6,928	86.6	76.5	3.85
NJ	359	45,781	127.5	115.0	3.96
NM	70	5,522	78.9	79.0	4.34
NV	50	4,761	95.2	87.5	4.15
NY	639	109,604	171.5	148.0	4.16
OH	958	79,553	83.0	81.0	4.25
OK	317	19,349	61.0	57.0	3.67
OR	137	7,688	56.1	50.0	4.21
PA	713	80,689	113.2	102.0	4.15
RI	86	8,030	93.4	90.5	3.79
SC	182	17,113	94.0	87.5	4.41
SD	110	6,511	59.2	51.0	3.85
TN	318	31,783	99.9	98.0	4.29
TX	1,170	90,613	77.4	75.0	3.97
UT	98	5,308	54.2	51.5	4.40



**Nursing Facility Total, Average and Median Number of Patients per Facility
and ADL Dependence
CMS OSCAR Data Current Surveys, June 2010**

State	Facilities	Total Patients	Avg Facility Patients	Median Facility Patients	State Avg ADL Dependence
VA	284	28,288	99.6	101.0	4.25
VT	40	2,957	73.9	63.5	4.03
WA	232	18,180	78.4	79.0	4.24
WI	392	31,234	79.7	70.0	3.94
WV	127	9,542	75.1	66.0	4.17
WY	38	2,377	62.6	52.0	3.99



Medical Condition - Bladder and Bowel Status
CMS OSCAR Data Current Surveys, June 2010

State	Catheter	Catheter at Admission*	Bladder Incontinent	Bowel Incontinent	Training Program**
US	5.87%	4.31%	56.22%	45.64%	10.00%
AK	11.36%	7.04%	54.88%	43.84%	9.60%
AL	5.08%	3.87%	59.61%	50.53%	10.00%
AR	5.10%	3.61%	56.84%	46.17%	7.37%
AZ	10.11%	8.25%	53.29%	47.98%	3.09%
CA	6.72%	5.61%	51.83%	47.34%	5.94%
CO	7.56%	5.81%	52.59%	39.96%	2.03%
CT	4.20%	2.90%	54.70%	42.61%	9.50%
DC	2.70%	2.46%	67.37%	57.92%	9.53%
DE	3.93%	2.70%	56.49%	47.60%	16.77%
FL	6.08%	4.87%	54.81%	49.31%	12.47%
GA	4.54%	3.32%	62.82%	56.79%	10.46%
HI	5.48%	3.25%	67.09%	59.86%	12.01%
IA	6.15%	4.03%	55.80%	30.56%	1.93%
ID	7.35%	5.74%	58.75%	39.28%	17.30%
IL	5.44%	3.93%	45.57%	33.54%	5.23%
IN	6.10%	3.99%	54.19%	41.76%	14.57%
KS	5.27%	3.81%	55.48%	34.86%	14.69%
KY	6.93%	4.86%	58.04%	48.66%	16.03%
LA	6.47%	3.88%	49.89%	46.53%	4.13%
MA	5.17%	3.68%	60.32%	48.14%	4.10%
MD	5.51%	4.18%	62.55%	53.61%	16.16%
ME	6.21%	4.46%	67.91%	47.61%	42.46%
MI	5.50%	4.30%	54.82%	42.11%	11.39%
MN	5.59%	4.13%	60.18%	37.60%	12.77%
MO	5.05%	3.49%	50.64%	37.60%	9.88%
MS	4.98%	2.95%	57.63%	50.60%	2.64%
MT	7.01%	5.38%	55.79%	35.45%	7.05%
NC	5.29%	3.81%	61.31%	56.22%	7.69%
ND	5.98%	4.50%	58.01%	32.72%	3.36%
NE	7.79%	5.30%	56.60%	33.28%	10.40%
NH	5.89%	4.42%	57.13%	35.98%	18.49%
NJ	5.19%	4.17%	52.19%	43.60%	9.65%
NM	6.07%	4.78%	56.77%	50.16%	4.38%
NV	9.24%	7.60%	50.89%	49.99%	7.44%
NY	5.21%	3.65%	59.72%	50.63%	4.77%
OH	6.33%	4.51%	52.40%	38.34%	13.05%
OK	4.75%	3.64%	42.36%	33.84%	8.06%
OR	9.90%	7.79%	55.44%	45.63%	8.26%
PA	6.12%	4.47%	62.06%	50.32%	21.19%
RI	4.03%	3.33%	53.36%	35.95%	5.92%
SC	4.34%	2.92%	64.61%	58.26%	7.93%
SD	6.51%	4.55%	57.69%	32.61%	6.22%
TN	6.31%	4.15%	60.41%	53.46%	14.29%
TX	5.60%	3.97%	58.95%	52.07%	6.08%
UT	7.93%	5.63%	57.35%	42.63%	9.85%
VA	5.26%	4.05%	60.57%	53.37%	12.54%

Source: CMS OSCAR Form 672: F78, F94 - F99. *As a percentage of those patients with a catheter at the time of the survey.
 **Total patients in bladder and/or bowel training. American Health Care Association - Health Services Research and Evaluation



Medical Condition - Bladder and Bowel Status
CMS OSCAR Data Current Surveys, June 2010

State	Catheter	Catheter at Admission*	Bladder Incontinent	Bowel Incontinent	Training Program**
VT	7.24%	4.36%	62.23%	45.01%	29.69%
WA	8.70%	6.94%	58.46%	46.49%	5.18%
WI	7.01%	5.10%	56.17%	36.03%	26.67%
WV	7.07%	5.02%	61.45%	54.11%	4.75%
WY	6.48%	4.42%	56.54%	37.61%	23.77%



Medical Condition - Medications
CMS OSCAR Data Current Surveys, June 2010

State	Psychoactive Medication*	Antibiotics	Pain Management
US	65.27%	8.43%	27.99%
AK	66.72%	6.56%	30.08%
AL	71.31%	9.40%	40.68%
AR	66.97%	8.11%	24.30%
AZ	63.89%	13.86%	39.45%
CA	57.80%	8.35%	20.42%
CO	64.66%	8.85%	35.21%
CT	67.82%	7.69%	19.37%
DC	44.86%	3.77%	27.23%
DE	60.11%	6.91%	25.73%
FL	67.06%	10.62%	28.25%
GA	69.15%	8.05%	28.17%
HI	42.06%	7.47%	27.59%
IA	66.58%	8.71%	38.38%
ID	69.70%	10.83%	46.56%
IL	66.36%	7.27%	19.71%
IN	66.04%	8.11%	23.31%
KS	69.25%	9.36%	37.70%
KY	70.69%	10.30%	26.45%
LA	70.76%	8.83%	14.99%
MA	72.25%	7.67%	26.67%
MD	59.30%	8.67%	25.93%
ME	70.49%	7.70%	33.59%
MI	61.35%	8.12%	41.52%
MN	62.82%	6.02%	43.58%
MO	70.24%	7.37%	24.60%
MS	68.00%	9.44%	23.48%
MT	68.74%	6.38%	30.98%
NC	67.58%	10.34%	25.55%
ND	67.62%	7.17%	47.27%
NE	67.67%	9.15%	37.82%
NH	69.70%	7.87%	41.76%
NJ	57.18%	7.07%	30.16%
NM	62.10%	7.48%	22.42%
NV	61.92%	11.80%	20.67%
NY	57.98%	6.70%	30.16%
OH	68.93%	8.94%	20.93%
OK	56.66%	6.61%	27.24%
OR	65.54%	9.96%	39.62%
PA	66.40%	8.78%	30.53%
RI	67.26%	5.93%	19.66%
SC	64.27%	9.06%	28.25%
SD	66.98%	8.80%	39.81%
TN	73.91%	10.06%	38.09%
TX	68.28%	8.43%	20.32%
UT	71.48%	10.89%	36.76%
VA	64.29%	9.91%	26.80%

Source: CMS OSCAR Form 672: F78, F133 - F139 *Includes antipsychotic, antianxiety, antidepressant, and hypnotic medications. American Health Care Association - Health Services Research and Evaluation



Medical Condition - Medications
CMS OSCAR Data Current Surveys, June 2010

State	Psychoactive Medication*	Antibiotics	Pain Management
VT	68.14%	7.68%	33.82%
WA	64.19%	9.63%	33.16%
WI	65.10%	7.92%	43.88%
WV	65.93%	8.28%	15.84%
WY	68.99%	8.29%	39.63%



Medical Condition - Mental Status
CMS OSCAR Data Current Surveys, June 2010

State	Mental Retardation	Depression	Psych Diagnosis	Dementia	Behavior Symptoms
US	2.71%	50.77%	24.16%	47.10%	28.48%
AK	2.56%	51.20%	13.92%	37.60%	26.08%
AL	4.76%	48.60%	29.04%	54.29%	23.49%
AR	4.56%	42.34%	21.79%	40.72%	26.53%
AZ	1.27%	48.45%	20.63%	45.01%	29.47%
CA	2.61%	38.07%	22.54%	39.26%	25.94%
CO	1.93%	55.73%	18.10%	44.88%	32.89%
CT	2.32%	42.66%	18.56%	49.95%	22.97%
DC	1.43%	24.57%	19.29%	43.75%	23.50%
DE	2.53%	43.36%	17.92%	48.42%	32.19%
FL	1.56%	49.96%	26.43%	46.69%	27.33%
GA	4.38%	61.19%	26.04%	50.63%	38.23%
HI	2.61%	41.88%	6.25%	53.37%	32.29%
IA	3.79%	62.69%	20.62%	50.01%	31.35%
ID	2.85%	62.30%	20.69%	45.50%	36.59%
IL	2.22%	56.16%	29.50%	41.24%	34.94%
IN	4.21%	47.87%	20.82%	46.62%	21.46%
KS	2.54%	62.26%	26.19%	48.85%	32.82%
KY	3.99%	50.59%	30.15%	52.51%	28.50%
LA	3.38%	56.92%	35.17%	44.83%	34.39%
MA	1.98%	49.39%	23.75%	53.44%	32.52%
MD	1.62%	41.00%	17.86%	44.36%	19.63%
ME	2.44%	67.57%	20.06%	56.80%	39.21%
MI	1.77%	45.09%	19.66%	55.90%	23.19%
MN	1.24%	58.42%	23.40%	45.15%	35.03%
MO	4.21%	53.27%	26.15%	44.94%	28.49%
MS	3.68%	57.44%	33.10%	51.22%	27.95%
MT	2.87%	57.54%	16.54%	40.49%	27.42%
NC	2.68%	50.37%	22.10%	47.60%	27.34%
ND	3.04%	62.95%	28.85%	54.95%	25.93%
NE	3.40%	64.10%	23.43%	43.43%	34.95%
NH	2.02%	61.36%	25.85%	57.04%	31.68%
NJ	2.98%	35.18%	19.28%	43.72%	21.91%
NM	1.56%	52.95%	20.92%	47.05%	30.82%
NV	1.85%	39.82%	21.42%	36.95%	22.35%
NY	2.03%	39.84%	19.19%	47.06%	24.12%
OH	2.84%	69.35%	29.84%	46.54%	36.94%
OK	3.22%	39.64%	21.38%	35.12%	19.52%
OR	2.38%	41.90%	17.59%	43.13%	28.23%
PA	2.17%	51.93%	22.35%	49.23%	25.71%
RI	1.37%	43.41%	18.56%	49.43%	21.52%
SC	2.51%	45.54%	21.69%	59.31%	30.26%
SD	2.33%	63.05%	24.64%	49.93%	32.10%
TN	2.93%	56.30%	32.73%	54.13%	30.93%
TX	3.29%	53.93%	30.81%	47.73%	27.86%
UT	3.77%	59.87%	20.42%	41.47%	42.41%
VA	3.77%	51.18%	18.63%	45.84%	27.20%



Medical Condition - Mental Status
CMS OSCAR Data Current Surveys, June 2010

State	Mental Retardation	Depression	Psych Diagnosis	Dementia	Behavior Symptoms
VT	1.93%	58.57%	21.58%	50.73%	36.86%
WA	3.56%	59.04%	21.99%	47.89%	28.70%
WI	1.48%	52.64%	19.19%	49.77%	28.19%
WV	4.89%	59.77%	36.97%	56.11%	30.33%
WY	2.48%	60.79%	14.43%	51.96%	38.33%



Medical Condition - Mobility
CMS OSCAR Data Current Surveys, June 2010

State	Bedfast	Chairbound	Ambulatory*	Physically Restrained	W/Orders for Restraint**	Contractures
US	3.56%	59.21%	39.22%	3.54%	0.60%	28.38%
AK	6.08%	62.88%	36.80%	1.12%	0.48%	62.40%
AL	6.25%	62.35%	31.42%	2.20%	0.47%	39.85%
AR	3.93%	58.43%	39.68%	4.86%	1.05%	18.03%
AZ	3.98%	64.69%	34.30%	2.47%	0.19%	28.42%
CA	5.15%	57.97%	37.82%	7.10%	2.40%	28.21%
CO	1.73%	56.96%	41.32%	3.92%	0.51%	25.69%
CT	1.98%	51.10%	53.61%	2.52%	0.27%	15.14%
DC	3.10%	59.59%	38.23%	1.71%	0.20%	16.55%
DE	3.32%	61.67%	34.21%	2.43%	0.24%	32.50%
FL	3.42%	67.19%	31.19%	3.83%	0.42%	22.26%
GA	5.90%	61.24%	32.33%	3.27%	0.27%	34.41%
HI	6.38%	63.32%	29.76%	4.31%	1.45%	47.95%
IA	1.02%	48.78%	57.43%	2.19%	0.20%	33.88%
ID	2.60%	65.26%	35.64%	3.35%	0.72%	38.96%
IL	1.76%	52.67%	50.88%	2.97%	0.45%	28.18%
IN	2.62%	60.05%	40.28%	2.39%	0.30%	23.71%
KS	1.29%	53.20%	45.25%	0.74%	0.12%	28.90%
KY	6.52%	59.29%	34.67%	5.49%	0.60%	23.79%
LA	7.20%	56.09%	36.84%	7.92%	1.74%	35.05%
MA	1.96%	48.26%	52.06%	3.43%	0.37%	18.71%
MD	4.89%	63.83%	30.80%	3.22%	0.38%	24.31%
ME	3.82%	53.52%	55.18%	1.09%	0.14%	36.57%
MI	2.68%	65.45%	34.53%	3.57%	0.48%	23.38%
MN	1.06%	57.08%	49.55%	1.70%	0.25%	27.81%
MO	1.48%	58.02%	41.57%	2.98%	0.55%	21.56%
MS	6.32%	62.03%	30.48%	6.07%	0.65%	43.14%
MT	1.89%	45.11%	50.91%	2.23%	0.50%	34.65%
NC	6.83%	60.10%	30.91%	3.65%	0.23%	32.63%
ND	1.52%	61.62%	46.40%	1.36%	0.24%	38.96%
NE	1.10%	55.69%	46.96%	1.34%	0.44%	36.88%
NH	2.06%	48.73%	57.27%	0.89%	0.06%	28.18%
NJ	2.95%	61.52%	38.97%	3.38%	0.53%	16.48%
NM	2.75%	60.97%	30.88%	4.04%	0.54%	33.39%
NV	7.06%	59.34%	32.41%	3.26%	0.27%	29.24%
NY	1.91%	62.39%	41.79%	3.17%	0.60%	36.21%
OH	3.19%	54.10%	45.32%	4.34%	0.64%	34.44%
OK	3.71%	44.84%	30.97%	2.77%	0.83%	19.62%
OR	5.09%	60.07%	34.89%	3.93%	1.24%	31.70%
PA	3.33%	61.93%	34.66%	2.94%	0.31%	23.58%
RI	1.86%	41.06%	55.35%	1.06%	0.04%	24.71%
SC	5.27%	67.84%	27.53%	5.70%	0.46%	37.06%
SD	0.81%	55.38%	46.67%	1.55%	0.17%	45.80%
TN	6.07%	63.22%	34.13%	5.49%	0.48%	26.56%
TX	5.16%	63.39%	31.04%	3.02%	0.43%	28.09%
UT	2.92%	52.02%	44.95%	5.03%	0.66%	31.88%
VA	4.95%	64.28%	30.23%	1.59%	0.10%	29.45%



Medical Condition - Mobility
CMS OSCAR Data Current Surveys, June 2010

State	Bedfast	Chairbound	Ambulatory*	Physically Restrained	W/Orders for Restraint**	Contractures
VT	3.62%	60.40%	51.17%	1.86%	0.10%	38.59%
WA	4.28%	67.12%	35.06%	1.85%	0.38%	34.61%
WI	1.78%	61.03%	44.09%	1.27%	0.28%	28.18%
WV	4.78%	63.35%	28.23%	3.39%	0.35%	40.10%
WY	1.60%	49.26%	48.59%	2.57%	0.29%	30.46%



Medical Condition - Other Characteristics
CMS OSCAR Data Current Surveys, June 2010

State	Advance Directives	Influenza Immunization	Pneumococcal Vaccine
US	60.73%	71.49%	63.26%
AK	72.80%	60.00%	64.00%
AL	43.01%	69.90%	63.09%
AR	64.18%	81.22%	74.20%
AZ	73.18%	67.62%	64.93%
CA	54.39%	69.13%	58.30%
CO	79.45%	73.19%	68.53%
CT	64.67%	77.61%	60.30%
DC	41.72%	59.19%	37.71%
DE	57.24%	74.85%	66.37%
FL	58.40%	59.19%	47.78%
GA	50.56%	71.61%	66.21%
HI	72.44%	87.08%	88.81%
IA	81.48%	80.66%	77.24%
ID	72.91%	74.40%	74.22%
IL	52.06%	61.69%	44.92%
IN	69.14%	70.73%	61.13%
KS	71.71%	80.06%	69.75%
KY	60.70%	75.62%	64.71%
LA	46.48%	66.79%	70.21%
MA	71.21%	77.88%	65.12%
MD	55.81%	68.16%	55.63%
ME	78.50%	76.54%	75.43%
MI	74.10%	68.44%	60.77%
MN	68.57%	80.02%	77.27%
MO	60.19%	70.83%	53.26%
MS	48.24%	71.36%	79.69%
MT	72.13%	71.39%	70.13%
NC	55.98%	67.91%	65.79%
ND	79.48%	88.61%	80.42%
NE	73.49%	75.76%	74.92%
NH	86.29%	79.79%	78.26%
NJ	43.36%	72.65%	66.23%
NM	59.69%	62.02%	47.56%
NV	45.77%	56.94%	50.54%
NY	62.72%	79.88%	75.71%
OH	62.11%	66.26%	54.18%
OK	37.39%	58.78%	43.17%
OR	61.52%	67.33%	63.22%
PA	60.58%	76.33%	64.21%
RI	69.07%	67.22%	54.02%
SC	60.45%	75.39%	77.77%
SD	77.48%	81.06%	79.20%
TN	71.85%	75.04%	63.58%
TX	50.26%	68.43%	62.86%
UT	76.41%	66.18%	64.62%
VA	53.30%	75.14%	62.93%



Medical Condition - Other Characteristics
CMS OSCAR Data Current Surveys, June 2010

State	Advance Directives	Influenza Immunization	Pneumococcal Vaccine
VT	76.77%	73.62%	77.04%
WA	69.28%	66.85%	64.27%
WI	83.72%	84.22%	86.32%
WV	73.92%	61.35%	58.51%
WY	88.39%	77.20%	71.90%



Medical Condition - Other Characteristics
CMS OSCAR Data Current Surveys, June 2010

State	Unplanned Weight Loss/Gain	Non-English Speaking	Non-Oral Communication Devices
US	7.65%	3.18%	3.88%
AK	11.36%	1.60%	15.52%
AL	10.69%	0.47%	3.11%
AR	8.82%	0.95%	2.18%
AZ	9.44%	6.86%	3.41%
CA	6.96%	11.47%	7.73%
CO	8.14%	2.82%	5.18%
CT	4.89%	3.10%	1.75%
DC	3.10%	1.19%	1.27%
DE	7.81%	1.52%	4.14%
FL	5.30%	5.16%	2.60%
GA	8.97%	1.11%	3.47%
HI	9.71%	10.57%	17.33%
IA	9.63%	0.32%	4.32%
ID	7.35%	1.40%	4.57%
IL	8.54%	2.74%	4.99%
IN	8.63%	0.84%	3.83%
KS	8.50%	0.79%	4.34%
KY	7.72%	0.48%	3.01%
LA	9.45%	1.15%	4.67%
MA	5.17%	4.84%	2.11%
MD	6.15%	2.27%	3.40%
ME	10.76%	1.27%	2.62%
MI	7.76%	1.09%	3.14%
MN	7.08%	0.84%	3.66%
MO	8.01%	0.43%	2.68%
MS	10.10%	0.42%	3.88%
MT	9.09%	0.60%	7.31%
NC	9.08%	1.09%	2.84%
ND	8.61%	0.35%	8.24%
NE	8.52%	0.99%	6.52%
NH	6.84%	1.08%	4.17%
NJ	5.07%	5.89%	2.88%
NM	8.86%	4.89%	5.03%
NV	7.37%	3.42%	4.73%
NY	5.31%	6.78%	2.76%
OH	8.86%	0.84%	3.78%
OK	7.33%	0.64%	2.53%
OR	8.44%	1.93%	5.71%
PA	8.32%	1.37%	2.16%
RI	6.89%	3.20%	3.24%
SC	8.43%	0.71%	3.44%
SD	9.71%	0.41%	8.32%
TN	8.44%	0.59%	4.87%
TX	7.73%	4.19%	3.66%
UT	8.16%	4.41%	5.80%
VA	8.94%	1.35%	3.05%



Medical Condition - Other Characteristics
CMS OSCAR Data Current Surveys, June 2010

State	Unplanned Weight Loss/Gain	Non-English Speaking	Non-Oral Communication Devices
VT	9.74%	0.74%	5.41%
WA	8.88%	2.51%	7.99%
WI	7.80%	0.50%	2.99%
WV	10.46%	0.32%	6.23%
WY	8.41%	1.81%	9.13%



Medical Condition - Skin Integrity
 CMS OSCAR Data Current Surveys, June 2010

State	Pressure Sores	Pressure Sores at Admission*	Preventative Skin Care	Rashes
US	6.60%	3.72%	78.45%	6.10%
AK	8.80%	6.40%	82.56%	13.28%
AL	5.77%	3.70%	86.44%	3.38%
AR	5.78%	2.47%	82.58%	4.76%
AZ	7.73%	4.79%	78.61%	5.07%
CA	7.66%	5.28%	66.27%	5.60%
CO	5.11%	2.37%	81.33%	4.60%
CT	4.85%	2.48%	62.59%	4.76%
DC	6.83%	3.69%	90.67%	1.79%
DE	5.32%	2.58%	81.09%	5.78%
FL	7.12%	5.04%	81.77%	5.61%
GA	6.78%	3.56%	80.63%	6.21%
HI	5.48%	2.87%	86.28%	12.40%
IA	4.10%	1.66%	84.17%	7.04%
ID	5.31%	2.92%	81.80%	8.41%
IL	6.61%	3.65%	79.99%	6.32%
IN	6.34%	2.94%	80.84%	4.43%
KS	4.96%	2.13%	71.19%	8.00%
KY	6.98%	3.49%	79.25%	5.25%
LA	7.78%	3.50%	79.67%	7.05%
MA	5.21%	2.61%	81.31%	3.99%
MD	8.75%	5.15%	80.90%	5.06%
ME	5.77%	2.61%	79.74%	9.00%
MI	6.32%	4.08%	79.90%	5.66%
MN	4.23%	2.22%	80.72%	9.75%
MO	5.96%	2.66%	73.84%	5.63%
MS	6.48%	3.25%	87.01%	5.56%
MT	4.86%	2.53%	84.14%	7.93%
NC	7.59%	3.82%	77.00%	5.69%
ND	4.20%	1.77%	83.52%	9.74%
NE	4.33%	1.84%	88.86%	8.11%
NH	4.06%	2.12%	87.66%	13.02%
NJ	7.54%	5.00%	70.69%	4.39%
NM	6.37%	3.33%	80.41%	4.87%
NV	8.32%	5.92%	74.29%	7.29%
NY	7.70%	4.81%	75.84%	7.28%
OH	6.12%	3.46%	86.85%	8.44%
OK	5.16%	2.42%	46.91%	3.55%
OR	7.88%	3.84%	75.40%	6.76%
PA	6.99%	3.79%	86.87%	5.22%
RI	5.58%	3.03%	76.85%	7.81%
SC	7.39%	3.85%	85.35%	6.11%
SD	4.72%	2.24%	84.70%	9.66%
TN	6.48%	3.73%	79.95%	5.12%
TX	7.02%	3.49%	74.33%	4.69%
UT	5.95%	2.84%	87.15%	9.02%
VA	7.51%	4.25%	79.51%	5.50%



Medical Condition - Skin Integrity
CMS OSCAR Data Current Surveys, June 2010

State	Pressure Sores	Pressure Sores at Admission*	Preventative Skin Care	Rashes
VT	5.14%	2.13%	81.43%	10.38%
WA	7.40%	4.19%	82.73%	9.82%
WI	5.45%	2.65%	80.64%	6.50%
WV	7.42%	4.34%	87.62%	11.16%
WY	5.05%	2.10%	73.41%	5.64%



Medical Condition - Special Care
CMS OSCAR Data Current Surveys, June 2010

State	Hospice Care	Radiation Therapy	Chemotherapy	Dialysis	IV Therapy (Nutrition or Blood)
US	4.55%	0.11%	0.35%	1.77%	2.05%
AK	0.00%	0.00%	0.32%	3.52%	5.60%
AL	5.10%	0.05%	0.21%	1.64%	1.23%
AR	3.38%	0.10%	0.22%	1.31%	1.16%
AZ	7.77%	0.13%	0.22%	2.64%	3.85%
CA	2.91%	0.09%	0.14%	2.25%	2.64%
CO	6.16%	0.08%	0.15%	1.07%	1.93%
CT	2.04%	0.09%	0.29%	1.47%	1.31%
DC	2.26%	0.12%	0.64%	3.61%	1.39%
DE	7.56%	0.19%	0.29%	1.85%	2.05%
FL	7.23%	0.22%	0.22%	1.84%	2.34%
GA	5.22%	0.08%	0.31%	2.32%	1.66%
HI	1.86%	0.13%	0.18%	1.81%	2.40%
IA	5.85%	0.06%	0.36%	0.96%	1.29%
ID	3.12%	0.11%	0.23%	1.56%	4.00%
IL	3.89%	0.17%	0.25%	1.71%	2.23%
IN	4.53%	0.13%	0.46%	1.64%	2.64%
KS	5.92%	0.09%	0.39%	0.93%	1.03%
KY	2.73%	0.07%	0.44%	1.44%	1.61%
LA	5.61%	0.08%	0.53%	2.03%	3.69%
MA	4.68%	0.12%	0.25%	1.22%	1.19%
MD	2.35%	0.11%	0.25%	2.86%	2.89%
ME	5.53%	0.09%	0.31%	1.10%	2.19%
MI	4.62%	0.08%	0.23%	1.83%	2.12%
MN	3.46%	0.09%	0.65%	1.21%	1.93%
MO	6.69%	0.07%	0.24%	1.29%	1.52%
MS	2.52%	0.07%	0.74%	2.18%	1.37%
MT	2.17%	0.00%	0.08%	1.04%	2.41%
NC	3.62%	0.07%	0.38%	1.94%	2.62%
ND	2.64%	0.14%	0.56%	1.24%	1.43%
NE	4.77%	0.09%	0.57%	1.11%	1.69%
NH	4.07%	0.12%	0.36%	1.05%	1.11%
NJ	4.15%	0.19%	0.32%	2.27%	1.79%
NM	5.89%	0.11%	0.11%	1.52%	2.97%
NV	4.83%	0.13%	0.23%	1.74%	5.36%
NY	1.53%	0.12%	0.76%	2.04%	1.46%
OH	5.80%	0.13%	0.57%	1.93%	2.22%
OK	8.97%	0.07%	0.16%	0.93%	1.20%
OR	4.63%	0.05%	0.23%	1.55%	3.54%
PA	5.06%	0.16%	0.40%	1.66%	1.70%
RI	6.97%	0.07%	0.36%	1.34%	2.75%
SC	7.22%	0.06%	0.23%	1.92%	1.26%
SD	2.78%	0.03%	0.74%	1.21%	2.29%
TN	4.29%	0.06%	0.14%	1.54%	2.25%
TX	7.25%	0.08%	0.23%	2.07%	2.10%
UT	7.76%	0.09%	0.24%	1.81%	4.16%
VA	3.28%	0.10%	0.33%	1.90%	1.94%



**Medical Condition - Special Care
CMS OSCAR Data Current Surveys, June 2010**

State	Hospice Care	Radiation Therapy	Chemotherapy	Dialysis	IV Therapy (Nutrition or Blood)
VT	0.95%	0.10%	0.44%	1.01%	1.56%
WA	2.54%	0.15%	0.37%	1.72%	3.53%
WI	3.72%	0.12%	0.41%	1.31%	1.50%
WV	2.85%	0.04%	0.34%	1.13%	4.61%
WY	1.26%	0.29%	0.04%	0.63%	1.64%



State	Respiratory Therapy	Tracheostomy Care	Ostomy Care	Suctioning	Injections
US	14.06%	1.12%	4.92%	1.43%	21.41%
AK	13.60%	1.60%	9.92%	2.72%	30.40%
AL	16.21%	0.45%	6.57%	0.96%	22.19%
AR	11.64%	0.44%	4.83%	1.02%	18.03%
AZ	18.04%	2.11%	3.43%	2.71%	25.05%
CA	12.52%	3.63%	7.67%	4.38%	23.53%
CO	28.17%	0.55%	3.04%	0.57%	15.36%
CT	12.13%	0.43%	2.39%	0.58%	18.58%
DC	7.19%	1.75%	4.61%	2.70%	20.60%
DE	13.32%	0.82%	3.57%	1.16%	21.46%
FL	15.95%	0.93%	5.78%	1.20%	24.75%
GA	13.03%	0.55%	6.20%	1.04%	23.41%
HI	8.73%	2.56%	11.62%	4.18%	15.27%
IA	13.57%	0.46%	3.13%	0.49%	14.16%
ID	23.79%	0.63%	4.12%	0.68%	24.49%
IL	10.85%	0.98%	5.01%	1.21%	22.25%
IN	14.42%	0.90%	3.90%	1.14%	22.26%
KS	14.76%	0.33%	2.88%	0.38%	18.55%
KY	18.33%	1.08%	6.79%	1.87%	23.67%
LA	8.62%	1.01%	7.23%	1.06%	20.22%
MA	11.13%	0.51%	2.34%	0.68%	17.19%
MD	12.62%	1.12%	4.25%	1.48%	24.36%
ME	12.00%	0.23%	2.53%	0.25%	19.61%
MI	13.61%	1.04%	4.32%	1.14%	21.89%
MN	13.01%	0.48%	3.47%	0.46%	18.37%
MO	14.18%	0.38%	2.97%	0.57%	20.35%
MS	11.70%	0.68%	9.02%	0.71%	23.20%
MT	18.21%	0.26%	3.01%	0.40%	17.37%
NC	14.14%	0.82%	5.37%	1.00%	25.38%
ND	14.98%	0.44%	4.46%	0.28%	17.97%
NE	14.91%	1.04%	4.77%	1.09%	17.20%
NH	14.07%	0.36%	2.68%	0.46%	16.77%
NJ	12.68%	1.49%	4.90%	1.82%	20.13%
NM	24.63%	0.36%	3.33%	0.62%	19.61%
NV	21.17%	2.37%	6.78%	2.88%	23.67%
NY	12.47%	1.97%	6.00%	2.54%	19.82%
OH	16.44%	1.14%	5.73%	1.23%	24.78%
OK	11.90%	0.49%	2.31%	0.88%	14.73%
OR	11.75%	0.69%	3.33%	0.92%	19.75%
PA	16.70%	1.09%	3.61%	1.33%	22.57%
RI	10.36%	0.37%	2.59%	0.39%	17.21%
SC	11.77%	0.37%	6.18%	0.74%	20.34%
SD	14.64%	0.28%	3.50%	0.28%	18.09%
TN	16.64%	0.60%	3.83%	0.95%	24.01%
TX	12.94%	0.75%	5.18%	1.10%	20.68%
UT	27.69%	1.17%	2.17%	1.32%	21.59%
VA	15.37%	0.93%	4.90%	1.35%	23.38%



State	Respiratory Therapy	Tracheostomy Care	Ostomy Care	Suctioning	Injections
VT	13.22%	0.47%	3.38%	0.64%	19.72%
WA	14.19%	1.06%	4.56%	1.28%	24.13%
WI	14.54%	0.55%	3.14%	0.57%	18.38%
WV	17.73%	0.38%	5.71%	0.52%	24.54%
WY	31.09%	0.17%	2.19%	0.46%	16.20%



Medical Condition - Special Care
CMS OSCAR Data Current Surveys, June 2010

State	Tube Feeding	Mechanically Altered Diet	Special Rehab	Assistive Eating Device
US	5.88%	33.45%	24.42%	7.84%
AK	9.60%	32.64%	22.56%	5.92%
AL	8.65%	38.96%	21.72%	7.35%
AR	5.12%	32.25%	16.43%	4.94%
AZ	4.75%	34.16%	26.00%	6.77%
CA	11.51%	40.45%	23.36%	4.81%
CO	2.44%	28.49%	23.77%	9.92%
CT	3.03%	33.82%	22.77%	8.23%
DC	9.85%	30.96%	16.36%	1.59%
DE	4.79%	35.87%	27.61%	5.66%
FL	7.18%	36.77%	32.88%	7.92%
GA	7.27%	38.61%	20.35%	5.34%
HI	12.22%	53.81%	18.34%	6.33%
IA	1.88%	26.31%	14.15%	13.85%
ID	2.94%	33.40%	29.85%	11.35%
IL	4.67%	27.32%	21.43%	4.88%
IN	4.28%	28.29%	29.40%	8.46%
KS	2.26%	28.73%	19.63%	10.40%
KY	7.21%	37.40%	26.60%	10.80%
LA	7.70%	26.93%	25.36%	1.21%
MA	3.18%	35.92%	24.31%	11.18%
MD	7.78%	32.86%	25.63%	4.06%
ME	1.89%	42.15%	26.06%	15.24%
MI	5.42%	29.86%	27.40%	10.93%
MN	2.09%	23.07%	19.28%	11.48%
MO	3.38%	28.90%	22.03%	7.95%
MS	9.57%	36.12%	27.41%	4.33%
MT	2.37%	27.52%	18.47%	10.44%
NC	6.99%	38.33%	27.56%	8.52%
ND	2.33%	26.10%	13.10%	19.37%
NE	3.31%	25.39%	20.37%	12.89%
NH	1.76%	32.51%	27.68%	13.24%
NJ	6.79%	34.40%	22.84%	4.25%
NM	2.81%	37.76%	24.88%	6.37%
NV	8.59%	32.09%	29.30%	4.68%
NY	7.36%	32.38%	20.86%	7.41%
OH	5.39%	30.59%	27.67%	9.66%
OK	3.40%	24.91%	13.00%	2.93%
OR	3.76%	36.15%	29.76%	10.94%
PA	4.75%	37.02%	27.88%	11.88%
RI	2.64%	28.92%	24.57%	6.10%
SC	7.54%	41.03%	24.06%	7.60%
SD	1.67%	29.38%	13.85%	14.28%
TN	5.90%	41.69%	26.68%	6.52%
TX	6.98%	33.26%	25.13%	3.70%
UT	3.05%	32.48%	31.05%	5.28%
VA	6.13%	34.97%	25.89%	6.09%



Medical Condition - Special Care
CMS OSCAR Data Current Surveys, June 2010

State	Tube Feeding	Mechanically Altered Diet	Special Rehab	Assistive Eating Device
VT	2.00%	34.76%	25.26%	14.31%
WA	4.80%	35.53%	30.29%	12.51%
WI	2.71%	29.00%	26.00%	15.08%
WV	4.43%	40.22%	27.63%	8.69%
WY	1.47%	33.87%	19.69%	12.79%



Nursing Facility Patients by Payor - Percentage of Patients CMS OSCAR Data Current Surveys, June 2010

State	Total Patients	Medicare	Medicaid	Other Payer
US	1,399,856	14.2%	63.7%	22.2%
AK	625	14.4%	73.0%	12.6%
AL	23,120	13.5%	68.6%	18.0%
AR	17,877	11.1%	68.4%	20.5%
AZ	11,844	14.0%	63.6%	22.3%
CA	102,546	14.2%	66.7%	19.1%
CO	16,340	12.0%	57.9%	30.1%
CT	25,969	14.8%	67.6%	17.7%
DC	2,519	9.8%	81.1%	9.1%
DE	4,151	16.4%	57.2%	26.4%
FL	71,873	20.6%	57.8%	21.6%
GA	34,859	12.5%	72.0%	15.5%
HI	3,871	9.0%	70.2%	20.8%
IA	25,629	7.9%	47.1%	45.0%
ID	4,422	16.3%	61.2%	22.5%
IL	75,524	14.7%	62.6%	22.7%
IN	39,361	16.6%	61.5%	21.9%
KS	19,068	10.3%	52.9%	36.8%
KY	23,295	15.5%	65.9%	18.5%
LA	25,481	11.4%	73.3%	15.3%
MA	43,234	13.9%	63.1%	23.0%
MD	24,951	17.3%	60.7%	22.0%
ME	6,442	17.4%	64.8%	17.8%
MI	40,144	18.2%	62.2%	19.5%
MN	29,817	10.1%	56.4%	33.5%
MO	37,647	12.6%	61.2%	26.2%
MS	16,540	15.1%	75.1%	9.8%
MT	4,981	10.5%	57.4%	32.1%
NC	37,549	15.9%	67.3%	16.8%
ND	5,716	7.6%	53.4%	39.0%
NE	12,650	11.7%	52.6%	35.7%
NH	6,928	14.1%	64.2%	21.7%
NJ	45,781	17.6%	62.2%	20.2%
NM	5,522	13.9%	59.1%	27.0%
NV	4,761	17.0%	58.9%	24.1%
NY	109,604	11.8%	72.8%	15.3%
OH	79,553	13.0%	62.7%	24.2%
OK	19,349	11.7%	66.3%	22.0%
OR	7,688	13.3%	61.5%	25.2%
PA	80,689	11.5%	62.3%	26.2%
RI	8,030	9.8%	64.7%	25.6%
SC	17,113	16.6%	63.1%	20.3%
SD	6,511	8.5%	56.0%	35.5%
TN	31,783	15.9%	64.8%	19.3%
TX	90,613	14.7%	63.0%	22.3%



**Nursing Facility Patients by Payor - Percentage of Patients
CMS OSCAR Data Current Surveys, June 2010**

State	Total Patients	Medicare	Medicaid	Other Payer
UT	5,308	18.5%	53.1%	28.4%
VA	28,288	18.3%	60.8%	21.0%
VT	2,957	15.8%	65.8%	18.4%
WA	18,180	17.0%	59.8%	23.2%
WI	31,234	13.9%	59.9%	26.2%
WV	9,542	13.4%	72.0%	14.6%
WY	2,377	10.3%	61.4%	28.2%



**Nursing Facility Patients by Payor - Number of Patients
CMS OSCAR Data Current Surveys, June 2010**

State	Total Patients	Medicare	Medicaid	Other Payer
US	1,399,856	198,516	891,099	310,241
AK	625	90	456	79
AL	23,120	3,114	15,854	4,152
AR	17,877	1,983	12,224	3,670
AZ	11,844	1,662	7,536	2,646
CA	102,546	14,532	68,404	19,610
CO	16,340	1,954	9,460	4,926
CT	25,969	3,834	17,545	4,590
DC	2,519	247	2,043	229
DE	4,151	679	2,376	1,096
FL	71,873	14,807	41,522	15,544
GA	34,859	4,357	25,108	5,394
HI	3,871	350	2,716	805
IA	25,629	2,022	12,063	11,544
ID	4,422	720	2,708	994
IL	75,524	11,098	47,273	17,153
IN	39,361	6,541	24,219	8,601
KS	19,068	1,956	10,094	7,018
KY	23,295	3,616	15,361	4,318
LA	25,481	2,901	18,688	3,892
MA	43,234	6,026	27,284	9,924
MD	24,951	4,321	15,136	5,494
ME	6,442	1,118	4,176	1,148
MI	40,144	7,321	24,981	7,842
MN	29,817	3,010	16,810	9,997
MO	37,647	4,736	23,054	9,857
MS	16,540	2,496	12,427	1,617
MT	4,981	524	2,860	1,597
NC	37,549	5,953	25,282	6,314
ND	5,716	434	3,050	2,232
NE	12,650	1,483	6,655	4,512
NH	6,928	978	4,448	1,502
NJ	45,781	8,065	28,475	9,241
NM	5,522	767	3,265	1,490
NV	4,761	810	2,805	1,146
NY	109,604	12,980	79,821	16,803
OH	79,553	10,371	49,917	19,265
OK	19,349	2,272	12,819	4,258
OR	7,688	1,023	4,728	1,937
PA	80,689	9,274	50,255	21,160
RI	8,030	786	5,192	2,052
SC	17,113	2,838	10,796	3,479
SD	6,511	554	3,647	2,310
TN	31,783	5,058	20,582	6,143
TX	90,613	13,279	57,110	20,224



**Nursing Facility Patients by Payor - Number of Patients
CMS OSCAR Data Current Surveys, June 2010**

State	Total Patients	Medicare	Medicaid	Other Payer
UT	5,308	982	2,818	1,508
VA	28,288	5,169	17,192	5,927
VT	2,957	468	1,945	544
WA	18,180	3,084	10,878	4,218
WI	31,234	4,347	18,710	8,177
WV	9,542	1,280	6,871	1,391
WY	2,377	246	1,460	671



American Health Care Association

1201 L Street, NW
Washington, DC, 20005
T: (202) 842-4444
Email: research@ahca.org