

LTC Stats:

Nursing Facility Patient Characteristics Report

September 2010 Update

Prepared By

Research Department
American Health Care Association



LTC Stats: Nursing Facility Patient Characteristics Report

Table of Contents

Table 1: Nursing Facility Patient Overview	3
Table 2: Patients by Payor – Number of Patients	4
Table 3: Patients by Payor – Percentage of Patients.....	5
Table 4: Activities of Daily Living – Bathing – Percent of Patients and Dependency.....	6
Table 5: Activities of Daily Living – Dressing – Percent of Patients and Dependency	7
Table 6: Activities of Daily Living – Eating – Percent of Patients and Dependency	8
Table 7: Activities of Daily Living – Toileting – Percent of Patients and Dependency.....	9
Table 8: Activities of Daily Living – Transferring – Percent of Patients and Dependency	10
Table 9: Medical Condition – Bladder and Bowel Status.....	11
Table 10: Medical Condition – Medications	12
Table 11: Medical Condition – Mobility	13
Table 12: Medical Condition – Mental Status	14
Table 13: Medical Condition – Weight Loss and Communication	15
Table 14: Medical Condition – Advance Directives and Vaccinations	16
Table 15: Medical Condition – Skin Integrity	17
Table 16: Medical Condition – Special Care.....	18
Glossary of Terms.....	21
Contact Information.....	23

Source: Center for Medicare & Medicaid Services Online Survey Certification and Reporting (CMS-OSCAR) data as of September 2010



Table 1: Nursing Facility Patient Overview, September 2010

State	Facilities	Total Patients	Avg Facility Patients	Median Facility Patients	State Avg ADL Dependence
US	15,685	1,396,710	89.0	82.0	4.08
AK	15	630	42.0	23.0	4.14
AL	228	23,042	101.1	94.0	4.10
AR	232	17,800	76.7	76.5	3.86
AZ	137	11,856	86.5	85.0	4.06
CA	1,241	102,556	82.6	80.0	4.21
CO	212	16,359	77.2	73.0	3.99
CT	239	26,017	108.9	108.0	3.81
DC	19	2,506	131.9	116.0	3.98
DE	47	4,146	88.2	94.0	3.89
FL	678	71,816	105.9	108.0	4.21
GA	359	34,807	97.0	93.0	4.21
HI	48	3,889	81.0	79.0	4.52
IA	443	25,548	57.7	51.0	3.83
ID	79	4,464	56.5	54.0	4.21
IL	788	75,287	95.5	82.0	3.59
IN	501	39,120	78.1	71.0	4.18
KS	340	19,000	55.9	49.0	3.79
KY	285	23,271	81.7	82.0	4.21
LA	281	25,408	90.4	92.0	3.99
MA	429	43,035	100.3	105.0	4.09
MD	231	24,863	107.6	104.0	4.21
ME	109	6,414	58.8	51.0	4.33
MI	429	40,008	93.3	90.0	4.15
MN	386	29,504	76.4	61.0	3.90
MO	514	37,789	73.5	69.0	3.80
MS	203	16,534	81.4	75.0	4.06
MT	87	4,899	56.3	52.0	4.00
NC	424	37,238	87.8	90.0	4.24
ND	85	5,677	66.8	50.0	3.81
NE	223	12,592	56.5	47.0	4.02
NH	80	6,923	86.5	75.0	3.86
NJ	360	45,953	127.6	114.5	3.97
NM	70	5,543	79.2	77.0	4.31
NV	50	4,735	94.7	90.0	4.16
NY	633	108,853	172.0	151.0	4.18
OH	955	79,323	83.1	81.0	4.25
OK	318	19,392	61.0	56.5	3.69
OR	137	7,606	55.5	50.0	4.23
PA	712	80,686	113.3	103.0	4.16
RI	86	7,997	93.0	91.0	3.79
SC	184	17,147	93.2	87.0	4.42
SD	110	6,495	59.0	51.0	3.87
TN	318	32,008	100.7	97.5	4.31
TX	1,170	90,526	77.4	75.0	3.99
UT	99	5,276	53.3	52.0	4.44
VA	285	28,291	99.3	100.0	4.24
VT	40	2,927	73.2	65.5	4.05
WA	230	18,120	78.8	80.5	4.24
WI	391	30,852	78.9	70.0	3.93
WV	127	9,555	75.2	66.0	4.17
WY	38	2,427	63.9	53.0	3.98

Source: CMS OSCAR Form 672: F78 - F93
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



**Table 2: Nursing Facility Patients by Payor -
Number of Patients, September 2010**

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,396,710	198,616	888,434	309,660
AK	630	93	459	78
AL	23,042	3,140	15,738	4,164
AR	17,800	2,036	12,102	3,662
AZ	11,856	1,605	7,499	2,752
CA	102,556	14,554	68,493	19,509
CO	16,359	1,949	9,595	4,815
CT	26,017	4,011	17,440	4,566
DC	2,506	272	2,000	234
DE	4,146	680	2,386	1,080
FL	71,816	14,889	41,713	15,214
GA	34,807	4,368	25,009	5,430
HI	3,889	356	2,721	812
IA	25,548	2,043	12,039	11,466
ID	4,464	705	2,704	1,055
IL	75,287	11,061	47,588	16,638
IN	39,120	6,454	24,247	8,419
KS	19,000	1,935	10,083	6,982
KY	23,271	3,622	15,362	4,287
LA	25,408	2,908	18,576	3,924
MA	43,035	5,980	27,242	9,813
MD	24,863	4,263	15,079	5,521
ME	6,414	1,125	4,123	1,166
MI	40,008	7,330	24,981	7,697
MN	29,504	3,081	16,514	9,909
MO	37,789	4,770	23,001	10,018
MS	16,534	2,532	12,399	1,603
MT	4,899	535	2,768	1,596
NC	37,238	5,933	24,880	6,425
ND	5,677	435	3,038	2,204
NE	12,592	1,486	6,622	4,484
NH	6,923	994	4,435	1,494
NJ	45,953	8,088	28,595	9,270
NM	5,543	757	3,309	1,477
NV	4,735	814	2,715	1,206
NY	108,853	12,959	78,943	16,951
OH	79,323	10,203	49,903	19,217
OK	19,392	2,302	12,825	4,265
OR	7,606	1,035	4,650	1,921
PA	80,686	9,450	50,087	21,149
RI	7,997	749	5,129	2,119
SC	17,147	2,871	10,805	3,471
SD	6,495	538	3,631	2,326
TN	32,008	5,061	20,323	6,624
TX	90,526	13,181	57,182	20,163
UT	5,276	974	2,806	1,496
VA	28,291	5,175	17,137	5,979
VT	2,927	498	1,869	560
WA	18,120	3,033	10,883	4,204
WI	30,852	4,261	18,425	8,166
WV	9,555	1,270	6,892	1,393
WY	2,427	252	1,489	686



**Table 3: Nursing Facility Patients by Payor -
Percentage of Patients, September 2010**

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,396,710	14.2%	63.6%	22.2%
AK	630	14.8%	72.9%	12.4%
AL	23,042	13.6%	68.3%	18.1%
AR	17,800	11.4%	68.0%	20.6%
AZ	11,856	13.5%	63.3%	23.2%
CA	102,556	14.2%	66.8%	19.0%
CO	16,359	11.9%	58.7%	29.4%
CT	26,017	15.4%	67.0%	17.6%
DC	2,506	10.9%	79.8%	9.3%
DE	4,146	16.4%	57.5%	26.0%
FL	71,816	20.7%	58.1%	21.2%
GA	34,807	12.5%	71.9%	15.6%
HI	3,889	9.2%	70.0%	20.9%
IA	25,548	8.0%	47.1%	44.9%
ID	4,464	15.8%	60.6%	23.6%
IL	75,287	14.7%	63.2%	22.1%
IN	39,120	16.5%	62.0%	21.5%
KS	19,000	10.2%	53.1%	36.7%
KY	23,271	15.6%	66.0%	18.4%
LA	25,408	11.4%	73.1%	15.4%
MA	43,035	13.9%	63.3%	22.8%
MD	24,863	17.1%	60.6%	22.2%
ME	6,414	17.5%	64.3%	18.2%
MI	40,008	18.3%	62.4%	19.2%
MN	29,504	10.4%	56.0%	33.6%
MO	37,789	12.6%	60.9%	26.5%
MS	16,534	15.3%	75.0%	9.7%
MT	4,899	10.9%	56.5%	32.6%
NC	37,238	15.9%	66.8%	17.3%
ND	5,677	7.7%	53.5%	38.8%
NE	12,592	11.8%	52.6%	35.6%
NH	6,923	14.4%	64.1%	21.6%
NJ	45,953	17.6%	62.2%	20.2%
NM	5,543	13.7%	59.7%	26.6%
NV	4,735	17.2%	57.3%	25.5%
NY	108,853	11.9%	72.5%	15.6%
OH	79,323	12.9%	62.9%	24.2%
OK	19,392	11.9%	66.1%	22.0%
OR	7,606	13.6%	61.1%	25.3%
PA	80,686	11.7%	62.1%	26.2%
RI	7,997	9.4%	64.1%	26.5%
SC	17,147	16.7%	63.0%	20.2%
SD	6,495	8.3%	55.9%	35.8%
TN	32,008	15.8%	63.5%	20.7%
TX	90,526	14.6%	63.2%	22.3%
UT	5,276	18.5%	53.2%	28.4%
VA	28,291	18.3%	60.6%	21.1%
VT	2,927	17.0%	63.9%	19.1%
WA	18,120	16.7%	60.1%	23.2%
WI	30,852	13.8%	59.7%	26.5%
WV	9,555	13.3%	72.1%	14.6%
WY	2,427	10.4%	61.4%	28.3%



Table 4: Activities of Daily Living - Bathing - Percent of Patients and Dependency, September 2010

State	Independent	Assisted	Dependent	Total Bathing Dependence
US	3.81%	62.19%	34.00%	96.19%
AK	2.70%	67.30%	30.00%	97.30%
AL	2.38%	57.89%	39.73%	97.62%
AR	4.25%	60.02%	35.73%	95.75%
AZ	2.30%	68.13%	29.57%	97.70%
CA	4.05%	55.56%	40.39%	95.95%
CO	3.31%	68.60%	28.09%	96.69%
CT	6.42%	57.98%	35.60%	93.58%
DC	8.26%	46.25%	45.49%	91.74%
DE	5.09%	52.73%	42.19%	94.91%
FL	2.84%	62.02%	35.14%	97.16%
GA	2.73%	52.54%	44.72%	97.27%
HI	1.31%	54.02%	44.66%	98.69%
IA	1.30%	78.86%	19.83%	98.70%
ID	1.86%	75.04%	23.10%	98.14%
IL	11.68%	69.85%	18.46%	88.32%
IN	3.53%	67.04%	29.44%	96.47%
KS	3.97%	71.49%	24.53%	96.03%
KY	1.99%	60.83%	37.18%	98.01%
LA	4.09%	63.42%	32.48%	95.91%
MA	4.14%	55.56%	40.30%	95.86%
MD	3.89%	48.24%	47.88%	96.11%
ME	2.53%	62.86%	34.61%	97.47%
MI	1.61%	71.62%	26.76%	98.39%
MN	2.91%	74.75%	22.33%	97.09%
MO	5.26%	69.72%	25.03%	94.74%
MS	2.11%	67.10%	30.79%	97.89%
MT	1.84%	75.91%	22.25%	98.16%
NC	3.12%	50.45%	46.43%	96.88%
ND	1.23%	79.65%	19.11%	98.77%
NE	1.33%	69.73%	28.94%	98.67%
NH	4.20%	69.51%	26.29%	95.80%
NJ	4.82%	57.79%	37.39%	95.18%
NM	1.82%	65.45%	32.73%	98.18%
NV	4.12%	54.59%	41.29%	95.88%
NY	4.19%	59.79%	36.02%	95.81%
OH	3.13%	67.80%	29.07%	96.87%
OK	5.11%	68.64%	26.26%	94.89%
OR	1.71%	71.35%	26.94%	98.29%
PA	4.04%	57.38%	38.58%	95.96%
RI	4.13%	66.02%	29.85%	95.87%
SC	1.55%	52.18%	46.27%	98.45%
SD	1.08%	80.88%	18.04%	98.92%
TN	2.11%	59.26%	38.63%	97.89%
TX	2.74%	58.59%	38.67%	97.26%
UT	2.26%	66.74%	31.01%	97.74%
VA	3.39%	50.87%	45.74%	96.61%
VT	5.91%	60.23%	33.86%	94.09%
WA	1.72%	73.29%	24.98%	98.28%
WI	2.76%	70.44%	26.80%	97.24%
WV	2.09%	52.85%	45.05%	97.91%
WY	2.06%	71.86%	26.08%	97.94%



Table 5: Activities of Daily Living - Dressing - Percent of Patients and Dependency, September 2010

State	Independent	Assisted	Dependent	Total Dressing Dependence
US	9.79%	66.32%	23.90%	90.21%
AK	8.41%	69.21%	22.38%	91.59%
AL	7.91%	64.22%	27.87%	92.09%
AR	12.43%	62.39%	25.17%	87.57%
AZ	9.95%	68.47%	21.58%	90.05%
CA	7.63%	63.08%	29.29%	92.37%
CO	12.79%	69.67%	17.54%	87.21%
CT	11.81%	58.47%	29.72%	88.19%
DC	12.33%	49.68%	37.99%	87.67%
DE	12.16%	55.74%	32.10%	87.84%
FL	7.05%	64.68%	28.27%	92.95%
GA	8.17%	61.88%	29.95%	91.83%
HI	2.55%	67.73%	29.72%	97.45%
IA	12.03%	74.25%	13.72%	87.97%
ID	8.20%	76.39%	15.41%	91.80%
IL	19.39%	67.34%	13.27%	80.61%
IN	9.54%	72.70%	17.76%	90.46%
KS	16.89%	67.05%	16.06%	83.11%
KY	5.56%	68.41%	26.02%	94.44%
LA	14.65%	63.12%	22.23%	85.35%
MA	6.03%	59.43%	34.54%	93.97%
MD	6.78%	55.81%	37.41%	93.22%
ME	3.16%	78.62%	18.21%	96.84%
MI	6.63%	74.80%	18.57%	93.37%
MN	12.43%	75.99%	11.58%	87.57%
MO	16.32%	64.88%	18.80%	83.68%
MS	10.90%	71.62%	17.47%	89.10%
MT	13.98%	72.87%	13.15%	86.02%
NC	6.97%	64.11%	28.92%	93.03%
ND	12.65%	76.89%	10.46%	87.35%
NE	12.17%	70.35%	17.48%	87.83%
NH	10.80%	71.26%	17.94%	89.20%
NJ	10.08%	58.49%	31.43%	89.92%
NM	7.14%	69.46%	23.40%	92.86%
NV	9.95%	65.36%	24.69%	90.05%
NY	8.78%	63.70%	27.52%	91.22%
OH	7.74%	73.67%	18.59%	92.26%
OK	17.57%	62.53%	19.90%	82.43%
OR	6.80%	74.72%	18.49%	93.20%
PA	7.22%	68.05%	24.73%	92.78%
RI	10.73%	66.44%	22.83%	89.27%
SC	2.78%	64.32%	32.90%	97.22%
SD	14.23%	76.46%	9.31%	85.77%
TN	5.71%	66.37%	27.92%	94.29%
TX	12.58%	62.34%	25.08%	87.42%
UT	5.53%	76.67%	17.80%	94.47%
VA	7.46%	61.24%	31.31%	92.54%
VT	7.41%	68.84%	23.74%	92.59%
WA	6.94%	77.92%	15.14%	93.06%
WI	10.32%	72.58%	17.10%	89.68%
WV	7.54%	67.11%	25.36%	92.46%
WY	14.09%	71.28%	14.63%	85.91%



Table 6: Activities of Daily Living - Eating - Percent of Patients and Dependency, September 2010

State	Independent	Assisted	Dependent	Total Eating Dependence
US	45.75%	39.38%	14.88%	54.25%
AK	46.83%	35.87%	17.30%	53.17%
AL	48.94%	31.87%	19.19%	51.06%
AR	52.75%	31.21%	16.04%	47.25%
AZ	50.15%	38.14%	11.71%	49.85%
CA	40.75%	37.36%	21.88%	59.25%
CO	46.94%	43.84%	9.22%	53.06%
CT	57.55%	26.03%	16.42%	42.45%
DC	44.93%	31.56%	23.50%	55.07%
DE	54.94%	29.06%	15.99%	45.06%
FL	45.01%	37.67%	17.32%	54.99%
GA	38.92%	42.55%	18.53%	61.08%
HI	34.38%	39.03%	26.59%	65.62%
IA	57.88%	34.47%	7.65%	42.12%
ID	43.59%	47.36%	9.05%	56.41%
IL	52.53%	37.82%	9.65%	47.47%
IN	38.31%	51.23%	10.46%	61.69%
KS	51.00%	40.10%	8.90%	49.00%
KY	47.19%	35.09%	17.72%	52.81%
LA	35.17%	50.86%	13.97%	64.83%
MA	51.60%	33.14%	15.26%	48.40%
MD	43.12%	37.41%	19.47%	56.88%
ME	49.42%	38.76%	11.82%	50.58%
MI	51.94%	35.53%	12.53%	48.06%
MN	54.77%	37.26%	7.98%	45.23%
MO	48.21%	41.06%	10.73%	51.79%
MS	43.24%	40.20%	16.57%	56.76%
MT	44.46%	46.36%	9.19%	55.54%
NC	42.31%	40.32%	17.38%	57.69%
ND	60.52%	31.57%	7.91%	39.48%
NE	46.80%	43.86%	9.34%	53.20%
NH	57.33%	32.41%	10.26%	42.67%
NJ	50.38%	32.35%	17.27%	49.62%
NM	32.42%	56.65%	10.93%	67.58%
NV	41.90%	42.98%	15.12%	58.10%
NY	39.15%	41.93%	18.92%	60.85%
OH	38.45%	50.03%	11.51%	61.55%
OK	54.91%	33.25%	11.85%	45.09%
OR	47.91%	39.53%	12.56%	52.09%
PA	46.96%	39.53%	13.50%	53.04%
RI	59.35%	29.19%	11.47%	40.65%
SC	39.30%	40.79%	19.91%	60.70%
SD	54.73%	38.26%	7.01%	45.27%
TN	38.28%	42.80%	18.92%	61.72%
TX	46.21%	38.08%	15.71%	53.79%
UT	29.02%	61.35%	9.63%	70.98%
VA	39.09%	42.61%	18.31%	60.91%
VT	53.06%	33.21%	13.73%	46.94%
WA	44.39%	44.42%	11.20%	55.61%
WI	56.99%	33.34%	9.66%	43.01%
WV	44.44%	40.05%	15.51%	55.56%
WY	45.16%	47.18%	7.66%	54.84%



Table 7: Activities of Daily Living - Toileting - Percent of Patients and Dependency, September 2010

State	Independent	Assisted	Dependent	Total Toileting Dependence
US	14.84%	57.06%	28.09%	85.16%
AK	12.54%	53.65%	33.81%	87.46%
AL	14.05%	49.40%	36.55%	85.95%
AR	18.93%	50.88%	30.19%	81.07%
AZ	13.94%	58.00%	28.06%	86.06%
CA	12.13%	50.81%	37.06%	87.87%
CO	16.96%	61.97%	21.07%	83.04%
CT	19.86%	50.37%	29.77%	80.14%
DC	17.44%	41.06%	41.50%	82.56%
DE	17.32%	47.83%	34.85%	82.68%
FL	11.02%	55.67%	33.32%	88.98%
GA	12.97%	48.16%	38.87%	87.03%
HI	4.22%	53.79%	41.99%	95.78%
IA	19.72%	62.17%	18.11%	80.28%
ID	11.16%	68.66%	20.18%	88.84%
IL	26.84%	55.64%	17.52%	73.16%
IN	14.08%	66.72%	19.20%	85.92%
KS	22.13%	59.72%	18.15%	77.87%
KY	10.50%	60.29%	29.21%	89.50%
LA	21.73%	50.28%	27.98%	78.27%
MA	13.05%	56.75%	30.20%	86.95%
MD	10.72%	48.28%	41.00%	89.28%
ME	4.61%	75.01%	20.38%	95.39%
MI	10.61%	65.81%	23.58%	89.39%
MN	16.84%	69.69%	13.47%	83.16%
MO	22.28%	56.26%	21.46%	77.72%
MS	16.69%	58.40%	24.91%	83.31%
MT	18.21%	65.61%	16.19%	81.79%
NC	10.36%	55.31%	34.33%	89.64%
ND	18.46%	67.31%	14.23%	81.54%
NE	15.88%	62.47%	21.65%	84.12%
NH	18.32%	61.00%	20.68%	81.68%
NJ	17.29%	50.51%	32.20%	82.71%
NM	11.94%	60.91%	27.15%	88.06%
NV	12.65%	57.42%	29.93%	87.35%
NY	13.33%	55.87%	30.80%	86.67%
OH	11.45%	65.54%	23.02%	88.55%
OK	24.81%	49.84%	25.35%	75.19%
OR	8.84%	62.74%	28.42%	91.16%
PA	11.37%	63.62%	25.01%	88.63%
RI	20.93%	55.18%	23.88%	79.07%
SC	5.58%	52.24%	42.18%	94.42%
SD	18.63%	70.05%	11.32%	81.37%
TN	10.02%	56.56%	33.42%	89.98%
TX	18.06%	49.70%	32.24%	81.94%
UT	8.53%	69.58%	21.89%	91.47%
VA	11.67%	53.77%	34.56%	88.33%
VT	11.00%	62.15%	26.85%	89.00%
WA	9.77%	67.96%	22.27%	90.23%
WI	16.44%	63.53%	20.03%	83.56%
WV	12.71%	55.78%	31.51%	87.29%
WY	17.43%	61.02%	21.55%	82.57%



Table 8: Activities of Daily Living - Transferring - Percent of Patients and Dependency, September 2010

State	Independent	Assisted	Dependent	Total Transferring Dependent
US	18.26%	58.50%	23.24%	81.74%
AK	15.87%	53.49%	30.63%	84.13%
AL	16.93%	52.70%	30.38%	83.07%
AR	25.19%	50.39%	24.43%	74.81%
AZ	17.62%	59.35%	23.03%	82.38%
CA	14.50%	55.20%	30.29%	85.50%
CO	21.28%	62.38%	16.34%	78.72%
CT	23.26%	52.73%	24.01%	76.74%
DC	18.83%	44.65%	36.51%	81.17%
DE	21.08%	52.82%	26.10%	78.92%
FL	13.22%	59.08%	27.70%	86.78%
GA	16.57%	53.88%	29.55%	83.43%
HI	5.73%	59.66%	34.61%	94.27%
IA	26.39%	59.46%	14.15%	73.61%
ID	13.93%	67.16%	18.91%	86.07%
IL	30.46%	55.17%	14.38%	69.54%
IN	16.85%	66.28%	16.88%	83.15%
KS	26.84%	57.49%	15.66%	73.16%
KY	14.05%	60.79%	25.16%	85.95%
LA	25.37%	52.66%	21.97%	74.63%
MA	15.84%	61.94%	22.22%	84.16%
MD	14.33%	51.18%	34.48%	85.67%
ME	7.09%	73.51%	19.40%	92.91%
MI	14.36%	64.70%	20.93%	85.64%
MN	22.85%	63.87%	13.28%	77.15%
MO	27.56%	54.61%	17.83%	72.44%
MS	20.91%	55.90%	23.18%	79.09%
MT	22.00%	64.75%	13.25%	78.00%
NC	12.78%	58.23%	29.00%	87.22%
ND	25.68%	60.61%	13.70%	74.32%
NE	21.48%	61.01%	17.50%	78.52%
NH	23.17%	59.48%	17.35%	76.83%
NJ	20.09%	53.85%	26.05%	79.91%
NM	15.24%	63.52%	21.23%	84.76%
NV	15.25%	59.66%	25.09%	84.75%
NY	16.89%	56.52%	26.58%	83.11%
OH	14.15%	66.06%	19.78%	85.85%
OK	28.97%	51.33%	19.70%	71.03%
OR	11.99%	65.51%	22.50%	88.01%
PA	13.93%	63.28%	22.79%	86.07%
RI	25.96%	55.75%	18.29%	74.04%
SC	8.82%	59.99%	31.19%	91.18%
SD	24.73%	65.62%	9.65%	75.27%
TN	13.33%	58.96%	27.71%	86.67%
TX	21.17%	54.12%	24.71%	78.83%
UT	10.27%	71.38%	18.35%	89.73%
VA	14.52%	57.28%	28.20%	85.48%
VT	17.42%	60.06%	22.51%	82.58%
WA	12.76%	69.19%	18.04%	87.24%
WI	20.46%	61.46%	18.08%	79.54%
WV	15.93%	59.93%	24.14%	84.07%
WY	22.83%	61.52%	15.66%	77.17%



Table 9: Medical Condition - Bladder and Bowel Status, September 2010

State	Catheter	Catheter at Admission*	Bladder Incontinent	Bowel Incontinent	Training Program**
US	5.84%	4.29%	56.22%	45.64%	10.01%
AK	11.59%	7.46%	55.71%	44.92%	9.52%
AL	5.03%	4.01%	59.64%	50.99%	10.98%
AR	5.07%	3.60%	56.40%	45.58%	7.08%
AZ	9.03%	8.00%	53.66%	47.61%	2.86%
CA	6.62%	5.56%	51.41%	46.86%	5.67%
CO	7.76%	5.84%	52.58%	40.64%	3.10%
CT	4.18%	2.89%	54.73%	42.66%	10.65%
DC	2.63%	2.43%	66.24%	59.14%	9.62%
DE	3.88%	2.63%	56.99%	47.27%	17.53%
FL	6.12%	4.87%	55.09%	49.61%	12.36%
GA	4.50%	3.35%	62.81%	56.91%	10.91%
HI	5.37%	3.03%	66.86%	59.63%	11.75%
IA	6.12%	3.98%	55.70%	30.48%	1.87%
ID	7.48%	5.73%	59.57%	39.70%	13.75%
IL	5.48%	4.11%	45.20%	33.25%	5.01%
IN	6.12%	3.85%	54.30%	41.90%	14.40%
KS	5.29%	3.83%	55.84%	35.63%	15.01%
KY	7.02%	4.77%	58.41%	48.70%	15.95%
LA	6.31%	3.82%	49.61%	46.33%	4.35%
MA	5.16%	3.65%	59.85%	47.82%	4.30%
MD	5.51%	4.10%	62.82%	54.21%	16.00%
ME	6.25%	4.55%	68.15%	47.29%	32.88%
MI	5.43%	4.25%	54.43%	42.55%	12.03%
MN	5.58%	4.12%	60.39%	37.48%	13.91%
MO	5.03%	3.47%	50.23%	37.57%	9.91%
MS	5.11%	2.95%	57.69%	50.60%	2.50%
MT	6.65%	5.06%	56.20%	36.07%	5.27%
NC	5.27%	3.74%	61.93%	56.80%	7.78%
ND	5.97%	4.30%	58.62%	33.33%	3.24%
NE	7.89%	5.28%	57.08%	33.58%	8.59%
NH	6.08%	4.64%	56.70%	36.37%	16.54%
NJ	5.22%	4.22%	52.34%	43.28%	9.58%
NM	5.81%	4.71%	56.76%	49.76%	5.23%
NV	9.40%	7.96%	51.70%	51.19%	6.78%
NY	5.16%	3.62%	59.94%	50.58%	4.85%
OH	6.25%	4.42%	52.54%	38.26%	13.65%
OK	5.08%	3.96%	44.46%	36.08%	7.27%
OR	9.74%	7.63%	56.43%	46.88%	8.19%
PA	6.06%	4.39%	61.88%	49.95%	21.47%
RI	4.05%	3.16%	52.98%	36.08%	6.16%
SC	4.42%	3.03%	65.14%	58.41%	7.91%
SD	6.24%	4.39%	58.46%	32.22%	7.62%
TN	6.15%	4.18%	59.99%	52.89%	14.86%
TX	5.61%	3.94%	58.98%	51.92%	6.25%
UT	8.06%	5.67%	57.75%	43.29%	9.76%
VA	5.20%	3.95%	60.07%	53.50%	11.86%
VT	7.86%	5.43%	61.02%	44.31%	22.69%
WA	8.25%	6.69%	58.37%	46.56%	6.36%
WI	7.02%	5.05%	56.17%	36.00%	25.17%
WV	6.96%	4.86%	60.90%	53.65%	4.44%
WY	7.17%	4.82%	54.14%	34.82%	23.11%

Source: CMS OSCAR Form 672: F78, F94 - F99. *As a percentage of those patients with a catheter at the time of the survey. **Total patients in bladder and/or bowel training.
LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 10: Medical Condition - Medications, September 2010

State	Psychoactive Medication*	Antibiotics	Pain Management
US	65.39%	8.40%	28.06%
AK	65.71%	6.83%	28.89%
AL	71.80%	9.30%	41.26%
AR	67.34%	8.33%	23.93%
AZ	63.59%	13.11%	37.58%
CA	57.70%	8.18%	20.84%
CO	64.89%	9.44%	36.51%
CT	67.30%	7.59%	18.89%
DC	48.16%	4.71%	26.26%
DE	59.70%	6.80%	25.49%
FL	66.97%	10.52%	28.72%
GA	69.64%	7.87%	29.36%
HI	41.86%	7.64%	29.06%
IA	66.51%	9.05%	38.63%
ID	69.74%	10.78%	45.92%
IL	66.57%	7.25%	20.28%
IN	66.16%	7.94%	22.70%
KS	69.50%	9.34%	38.36%
KY	70.64%	10.04%	27.17%
LA	70.99%	8.89%	14.94%
MA	72.12%	7.37%	25.84%
MD	58.47%	8.45%	26.51%
ME	70.78%	7.53%	33.18%
MI	61.19%	7.99%	40.80%
MN	62.31%	6.11%	44.46%
MO	70.28%	7.57%	24.81%
MS	68.20%	9.37%	22.15%
MT	67.18%	6.02%	29.50%
NC	67.65%	10.47%	26.39%
ND	68.13%	6.85%	45.57%
NE	67.66%	8.58%	37.52%
NH	69.49%	8.07%	41.38%
NJ	57.23%	7.24%	30.26%
NM	63.07%	6.89%	22.53%
NV	62.62%	11.15%	19.70%
NY	58.77%	6.85%	30.21%
OH	69.01%	8.80%	20.97%
OK	60.44%	6.81%	27.32%
OR	64.98%	9.14%	40.23%
PA	66.14%	8.80%	30.44%
RI	68.81%	6.03%	21.13%
SC	64.26%	9.10%	27.81%
SD	66.65%	8.65%	39.48%
TN	74.35%	10.29%	38.51%
TX	68.33%	8.30%	20.36%
UT	71.63%	11.30%	36.92%
VA	64.57%	10.24%	25.91%
VT	67.13%	6.83%	31.12%
WA	64.60%	9.69%	32.68%
WI	64.82%	7.69%	43.55%
WV	65.88%	8.42%	15.89%
WY	66.63%	8.53%	40.59%

Source: CMS OSCAR Form 672: F78, F133 - F139. *Includes antipsychotic, antianxiety, antidepressant, and hypnotic medications.
LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 11: Medical Condition - Mobility, September 2010

State	Bedfast	Chairbound	Ambulatory*	Physically Restrained	W/Orders for Restraint**	Contractures
US	3.52%	59.43%	38.99%	3.38%	0.58%	28.32%
AK	6.19%	62.06%	37.30%	1.27%	0.48%	61.90%
AL	6.23%	62.28%	31.17%	2.19%	0.46%	40.38%
AR	4.00%	58.85%	39.28%	4.33%	0.98%	17.06%
AZ	3.98%	65.17%	33.13%	2.10%	0.17%	28.12%
CA	5.24%	58.22%	37.24%	6.72%	2.36%	28.11%
CO	1.78%	57.18%	41.06%	3.82%	0.40%	25.14%
CT	1.93%	50.94%	53.96%	2.38%	0.28%	15.54%
DC	2.67%	60.61%	37.63%	1.56%	0.08%	20.95%
DE	3.33%	60.73%	35.05%	2.32%	0.24%	31.57%
FL	3.34%	67.30%	31.21%	3.62%	0.38%	21.91%
GA	5.96%	61.62%	32.01%	3.13%	0.24%	34.15%
HI	5.99%	64.46%	29.65%	4.53%	1.70%	47.80%
IA	1.01%	48.83%	57.71%	2.13%	0.21%	34.12%
ID	2.84%	64.47%	34.72%	3.61%	0.83%	36.20%
IL	1.75%	52.67%	50.93%	2.99%	0.49%	26.64%
IN	2.52%	60.08%	40.18%	2.22%	0.28%	23.48%
KS	1.27%	53.83%	44.62%	0.71%	0.10%	28.79%
KY	6.46%	59.92%	34.06%	5.33%	0.66%	23.55%
LA	7.04%	56.58%	36.76%	7.58%	1.78%	35.89%
MA	1.84%	48.64%	52.51%	3.35%	0.39%	18.73%
MD	4.74%	63.85%	31.39%	3.57%	0.35%	23.87%
ME	3.65%	54.57%	54.33%	1.00%	0.17%	36.05%
MI	2.59%	65.53%	33.39%	3.38%	0.46%	23.93%
MN	1.04%	57.63%	49.46%	1.68%	0.23%	27.82%
MO	1.68%	57.79%	41.31%	2.83%	0.48%	21.25%
MS	6.25%	61.99%	29.81%	6.09%	0.67%	43.94%
MT	1.63%	47.91%	51.09%	2.49%	0.47%	36.44%
NC	6.51%	60.15%	30.40%	3.46%	0.22%	32.68%
ND	1.66%	60.68%	46.68%	1.62%	0.28%	39.14%
NE	1.09%	55.95%	46.23%	1.27%	0.45%	37.03%
NH	2.20%	48.48%	55.76%	0.88%	0.03%	28.85%
NJ	2.96%	61.70%	38.61%	3.29%	0.51%	16.48%
NM	2.72%	61.52%	30.40%	4.08%	0.60%	31.90%
NV	7.18%	60.32%	33.33%	3.02%	0.21%	28.03%
NY	1.88%	62.40%	42.04%	3.06%	0.60%	36.45%
OH	3.08%	54.49%	44.76%	4.04%	0.55%	34.48%
OK	3.82%	48.15%	31.65%	2.51%	0.68%	21.98%
OR	5.25%	59.58%	35.21%	3.83%	1.17%	31.76%
PA	3.26%	61.83%	34.77%	2.82%	0.33%	23.98%
RI	1.94%	41.37%	56.06%	1.11%	0.04%	24.47%
SC	5.13%	68.91%	27.53%	5.22%	0.20%	36.56%
SD	0.89%	55.35%	47.50%	1.40%	0.20%	46.45%
TN	5.83%	63.17%	33.24%	4.98%	0.40%	26.45%
TX	5.00%	63.88%	30.59%	2.69%	0.41%	28.23%
UT	3.13%	54.40%	44.03%	5.25%	0.74%	31.54%
VA	4.93%	64.71%	30.00%	1.60%	0.10%	29.75%
VT	3.86%	58.05%	48.68%	1.47%	0.07%	33.17%
WA	4.14%	66.42%	33.66%	1.57%	0.26%	34.17%
WI	1.67%	60.83%	43.74%	1.19%	0.25%	27.83%
WV	4.90%	63.43%	28.28%	3.19%	0.26%	39.28%
WY	1.52%	48.70%	50.97%	2.43%	0.16%	30.41%

Source: CMS OSCAR Form 672: F78, F100 - F106. *Percentage of patients that ambulate independently or w/assistive devices. **As a percentage of patients physically restrained.
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 12: Medical Condition - Mental Status, September 2010

State	Mental Retardation	Depression	Psych Diagnosis	Dementia	Behavior Symptoms
US	2.70%	50.93%	24.42%	47.29%	28.44%
AK	2.54%	50.95%	14.29%	37.46%	25.08%
AL	4.74%	48.52%	28.80%	54.48%	23.53%
AR	4.46%	41.78%	22.01%	41.35%	26.54%
AZ	1.20%	47.69%	20.60%	43.92%	28.59%
CA	2.56%	38.21%	22.77%	39.50%	25.84%
CO	1.92%	54.16%	18.49%	46.48%	32.37%
CT	2.37%	42.96%	18.29%	49.85%	22.73%
DC	1.32%	26.30%	19.63%	43.22%	22.27%
DE	2.53%	42.86%	18.36%	48.22%	32.03%
FL	1.58%	50.19%	26.44%	47.09%	27.26%
GA	4.31%	61.95%	26.07%	50.43%	38.32%
HI	2.55%	41.73%	6.33%	54.02%	31.78%
IA	3.81%	62.87%	20.82%	49.73%	31.34%
ID	2.80%	62.21%	20.59%	44.33%	36.63%
IL	2.21%	55.41%	29.60%	41.27%	34.80%
IN	4.14%	48.46%	20.86%	47.07%	22.43%
KS	2.48%	62.43%	26.79%	48.68%	33.12%
KY	4.02%	50.53%	29.57%	51.90%	28.01%
LA	3.35%	57.69%	35.83%	44.55%	34.23%
MA	1.79%	49.60%	24.52%	54.04%	32.66%
MD	1.93%	40.68%	18.29%	45.19%	19.32%
ME	2.45%	67.84%	21.56%	57.14%	38.63%
MI	1.76%	45.23%	19.94%	55.66%	22.67%
MN	1.25%	58.73%	23.59%	45.48%	34.50%
MO	4.08%	53.26%	26.43%	44.81%	28.28%
MS	3.73%	56.47%	32.85%	51.06%	27.28%
MT	2.74%	57.73%	17.41%	42.36%	27.27%
NC	2.64%	50.74%	22.57%	47.14%	27.03%
ND	3.01%	62.13%	29.61%	54.39%	25.28%
NE	3.41%	64.60%	23.81%	43.85%	34.34%
NH	2.07%	62.17%	25.96%	56.77%	31.73%
NJ	3.02%	34.85%	19.38%	43.96%	21.75%
NM	1.61%	51.81%	20.89%	46.94%	30.07%
NV	2.09%	39.81%	20.55%	37.55%	22.83%
NY	2.04%	40.66%	19.51%	47.52%	24.24%
OH	2.73%	69.14%	30.33%	46.65%	36.69%
OK	3.30%	42.26%	22.61%	36.36%	20.67%
OR	2.42%	41.69%	18.16%	43.08%	28.40%
PA	2.21%	51.41%	22.25%	49.19%	25.71%
RI	1.28%	43.85%	19.26%	49.69%	22.28%
SC	2.74%	45.85%	22.41%	60.12%	30.45%
SD	2.29%	63.39%	24.94%	50.39%	32.16%
TN	2.79%	56.06%	32.37%	53.95%	30.19%
TX	3.29%	54.66%	31.50%	48.51%	28.58%
UT	3.85%	59.55%	20.24%	42.93%	42.12%
VA	3.78%	51.64%	19.06%	45.92%	27.20%
VT	1.23%	62.86%	20.74%	49.81%	34.98%
WA	3.53%	60.06%	22.44%	47.72%	29.58%
WI	1.43%	52.92%	19.58%	49.52%	27.92%
WV	4.91%	59.51%	36.66%	55.68%	30.43%
WY	2.39%	62.38%	15.95%	52.90%	35.52%

Source: CMS OSCAR Form 672: F78, F108 - F114
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 13: Medical Condition - Weight Loss and Communication, September 2010

State	Unplanned Weight Loss/Gain	Non-English Speaking	Non-Oral Communication Devices
US	7.58%	3.20%	3.87%
AK	11.90%	3.02%	13.33%
AL	10.97%	0.39%	3.08%
AR	8.93%	0.45%	2.19%
AZ	9.58%	6.34%	3.13%
CA	6.83%	11.98%	7.88%
CO	7.83%	2.52%	4.02%
CT	4.90%	3.11%	1.75%
DC	3.87%	1.28%	1.36%
DE	7.57%	1.54%	3.33%
FL	5.31%	4.93%	2.92%
GA	8.92%	1.27%	3.40%
HI	9.67%	10.72%	18.18%
IA	9.43%	0.28%	4.59%
ID	8.04%	1.21%	4.30%
IL	8.29%	2.74%	4.53%
IN	8.26%	0.86%	3.67%
KS	8.59%	0.77%	4.54%
KY	7.49%	0.60%	2.90%
LA	9.68%	1.15%	4.69%
MA	5.20%	4.93%	2.39%
MD	6.15%	1.97%	3.43%
ME	10.32%	1.22%	3.01%
MI	7.63%	1.19%	3.11%
MN	7.34%	0.77%	3.81%
MO	7.86%	0.40%	2.57%
MS	10.51%	0.44%	4.22%
MT	9.00%	0.51%	7.53%
NC	9.03%	0.88%	2.93%
ND	8.28%	0.35%	7.59%
NE	8.68%	1.03%	6.95%
NH	7.25%	1.31%	4.42%
NJ	5.04%	5.87%	2.96%
NM	8.46%	5.00%	4.76%
NV	8.30%	3.23%	4.92%
NY	5.24%	6.85%	2.73%
OH	8.78%	0.83%	3.62%
OK	7.24%	0.70%	2.74%
OR	8.31%	2.06%	5.89%
PA	8.15%	1.42%	1.98%
RI	6.38%	3.45%	3.14%
SC	8.36%	0.78%	3.40%
SD	9.81%	0.43%	8.51%
TN	8.30%	0.68%	4.88%
TX	7.59%	4.11%	3.77%
UT	7.26%	4.32%	4.70%
VA	8.97%	1.37%	2.98%
VT	7.14%	0.82%	6.63%
WA	8.87%	2.54%	7.25%
WI	7.98%	0.48%	2.99%
WV	10.13%	0.31%	6.14%
WY	8.49%	1.90%	9.35%

Source: CMS OSCAR Form 672: F78, F140 - F142
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 14: Medical Condition - Advance Directives and Vaccinations, September 2010

State	Advance Directives	Influenza Immunization	Pneumococcal Vaccine
US	60.71%	71.36%	63.39%
AK	73.02%	65.40%	72.54%
AL	43.06%	70.25%	64.82%
AR	64.73%	82.16%	76.19%
AZ	72.63%	67.38%	65.78%
CA	54.85%	69.09%	59.49%
CO	78.74%	73.72%	69.30%
CT	65.18%	75.75%	59.23%
DC	39.90%	71.75%	55.31%
DE	56.68%	75.33%	65.58%
FL	58.59%	58.98%	47.57%
GA	50.58%	71.34%	66.89%
HI	71.77%	86.17%	88.17%
IA	81.16%	80.30%	76.99%
ID	73.34%	73.75%	76.70%
IL	52.60%	62.67%	46.37%
IN	69.26%	70.61%	61.00%
KS	71.85%	79.68%	70.99%
KY	61.07%	75.59%	64.45%
LA	46.23%	67.36%	70.87%
MA	71.53%	78.43%	66.06%
MD	54.72%	67.60%	56.13%
ME	78.39%	77.00%	76.18%
MI	73.59%	68.31%	60.66%
MN	68.43%	80.34%	77.64%
MO	60.37%	71.27%	53.11%
MS	48.40%	70.68%	79.79%
MT	71.59%	69.38%	66.63%
NC	55.43%	68.10%	66.20%
ND	80.45%	86.33%	79.78%
NE	73.64%	75.37%	74.88%
NH	86.21%	81.50%	78.87%
NJ	42.75%	72.40%	66.10%
NM	60.33%	62.84%	51.22%
NV	43.82%	55.27%	49.74%
NY	62.15%	79.44%	73.95%
OH	62.11%	65.06%	52.89%
OK	39.62%	62.47%	44.86%
OR	60.43%	65.51%	63.46%
PA	60.59%	75.56%	63.44%
RI	68.13%	68.16%	56.02%
SC	60.60%	75.04%	77.22%
SD	77.43%	81.22%	79.75%
TN	71.82%	73.66%	64.90%
TX	50.08%	68.28%	62.95%
UT	77.90%	64.06%	66.45%
VA	53.02%	75.09%	62.56%
VT	70.79%	76.19%	78.85%
WA	69.72%	66.87%	64.46%
WI	84.49%	83.57%	85.97%
WV	73.75%	61.92%	58.45%
WY	85.95%	75.94%	73.14%

Source: CMS OSCAR Form 672: F78, F143 - F145
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 15: Medical Condition - Skin Integrity, September 2010

State	Pressure Sores	Pressure Sores at Admission	Preventative Skin Care	Rashes
US	6.57%	3.70%	78.54%	6.13%
AK	9.05%	6.98%	82.38%	12.70%
AL	5.91%	3.75%	87.77%	3.62%
AR	5.97%	2.60%	81.83%	4.73%
AZ	7.50%	4.60%	77.80%	5.85%
CA	7.56%	5.18%	66.08%	5.81%
CO	5.06%	2.45%	81.76%	4.41%
CT	4.90%	2.55%	61.20%	4.77%
DC	6.03%	3.47%	91.02%	1.96%
DE	5.52%	2.82%	81.38%	6.22%
FL	7.27%	5.08%	81.86%	5.71%
GA	6.75%	3.66%	80.56%	6.19%
HI	5.43%	2.73%	87.12%	12.45%
IA	4.18%	1.63%	83.35%	7.31%
ID	5.24%	3.20%	79.68%	8.78%
IL	6.59%	3.73%	80.48%	6.16%
IN	6.36%	2.94%	82.03%	4.49%
KS	4.96%	2.21%	71.19%	7.98%
KY	7.00%	3.47%	78.48%	4.86%
LA	7.85%	3.45%	80.36%	7.16%
MA	5.08%	2.52%	80.64%	4.15%
MD	8.72%	5.06%	81.42%	5.08%
ME	6.10%	2.81%	81.70%	9.53%
MI	6.32%	4.14%	80.81%	5.83%
MN	4.21%	2.14%	81.50%	9.49%
MO	5.72%	2.60%	73.21%	5.57%
MS	6.47%	3.19%	87.37%	5.19%
MT	5.04%	2.43%	83.12%	8.10%
NC	7.63%	3.79%	77.20%	5.70%
ND	4.17%	1.76%	83.79%	8.74%
NE	4.20%	1.83%	88.96%	8.24%
NH	4.13%	2.28%	87.98%	12.28%
NJ	7.49%	4.89%	70.33%	4.37%
NM	6.42%	3.46%	80.64%	4.80%
NV	7.96%	6.02%	76.62%	6.86%
NY	7.66%	4.87%	75.27%	7.22%
OH	6.05%	3.40%	87.05%	8.45%
OK	5.60%	2.50%	50.18%	3.94%
OR	7.81%	3.83%	75.56%	6.93%
PA	6.92%	3.70%	86.58%	5.27%
RI	5.13%	2.91%	76.22%	7.67%
SC	7.38%	3.88%	85.92%	6.11%
SD	4.50%	1.97%	84.30%	9.07%
TN	6.35%	3.63%	80.46%	5.15%
TX	7.01%	3.48%	74.78%	4.78%
UT	5.72%	2.82%	86.68%	9.53%
VA	7.42%	4.15%	79.35%	5.86%
VT	5.26%	2.43%	83.05%	8.78%
WA	7.12%	4.01%	82.72%	10.17%
WI	5.27%	2.65%	81.55%	6.73%
WV	7.25%	4.24%	87.70%	11.14%
WY	5.15%	2.10%	73.88%	5.85%

Source: CMS OSCAR Form 672: F78, F115 - F118
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 16: Medical Condition - Special Care, September 2010

State	Hospice Care	Radiation Therapy	Chemotherapy	Dialysis	IV Therapy (Nutrition or Blood)
US	4.60%	0.12%	0.36%	1.79%	2.08%
AK	0.16%	0.00%	0.32%	3.17%	5.40%
AL	4.87%	0.07%	0.24%	1.62%	1.19%
AR	3.64%	0.08%	0.22%	1.22%	1.05%
AZ	7.47%	0.08%	0.22%	2.90%	3.74%
CA	2.93%	0.10%	0.15%	2.35%	2.71%
CO	6.08%	0.07%	0.13%	1.14%	2.02%
CT	2.03%	0.09%	0.31%	1.47%	1.47%
DC	2.08%	0.04%	0.60%	4.11%	1.00%
DE	7.65%	0.19%	0.29%	1.95%	2.05%
FL	7.26%	0.33%	0.34%	1.87%	2.46%
GA	5.36%	0.08%	0.34%	2.30%	1.71%
HI	2.01%	0.13%	0.18%	1.75%	2.29%
IA	6.04%	0.05%	0.34%	1.00%	1.42%
ID	3.25%	0.16%	0.29%	1.52%	3.97%
IL	3.95%	0.16%	0.24%	1.69%	1.99%
IN	4.64%	0.14%	0.49%	1.66%	2.47%
KS	5.89%	0.09%	0.42%	0.96%	0.97%
KY	2.74%	0.09%	0.39%	1.44%	1.65%
LA	5.69%	0.08%	0.47%	2.01%	3.81%
MA	4.68%	0.11%	0.23%	1.26%	1.23%
MD	2.36%	0.10%	0.27%	2.96%	2.99%
ME	5.52%	0.11%	0.30%	1.04%	1.79%
MI	4.59%	0.09%	0.24%	1.93%	2.26%
MN	3.33%	0.09%	0.65%	1.21%	1.91%
MO	6.87%	0.07%	0.24%	1.31%	1.53%
MS	2.38%	0.06%	0.72%	2.19%	1.46%
MT	2.04%	0.00%	0.10%	1.10%	2.22%
NC	3.70%	0.07%	0.40%	1.98%	2.77%
ND	2.78%	0.12%	0.58%	1.37%	1.34%
NE	4.98%	0.10%	0.49%	1.13%	1.72%
NH	4.07%	0.07%	0.39%	0.97%	1.16%
NJ	4.19%	0.16%	0.32%	2.20%	1.77%
NM	5.86%	0.05%	0.13%	1.66%	3.48%
NV	4.82%	0.15%	0.23%	1.71%	5.32%
NY	1.56%	0.12%	0.81%	2.05%	1.52%
OH	5.88%	0.14%	0.56%	1.91%	2.26%
OK	9.58%	0.09%	0.16%	1.05%	1.41%
OR	4.33%	0.04%	0.21%	1.60%	3.51%
PA	5.18%	0.13%	0.42%	1.63%	1.81%
RI	6.70%	0.13%	0.29%	1.29%	2.64%
SC	6.99%	0.07%	0.20%	2.01%	1.20%
SD	2.99%	0.02%	0.60%	1.14%	1.68%
TN	4.46%	0.26%	0.12%	1.55%	2.07%
TX	7.25%	0.10%	0.24%	2.06%	2.30%
UT	7.75%	0.13%	0.19%	1.67%	4.09%
VA	3.39%	0.11%	0.36%	1.90%	1.97%
VT	1.06%	0.14%	0.38%	0.92%	1.67%
WA	2.79%	0.17%	0.35%	1.76%	3.26%
WI	3.89%	0.13%	0.41%	1.30%	1.54%
WV	2.95%	0.04%	0.36%	1.09%	4.43%
WY	1.36%	0.25%	0.12%	0.66%	1.36%

Source: CMS OSCAR Form 672: F78, F119 - F123
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 16: Medical Condition - Special Care, September 2010

State	Respiratory Therapy	Tracheostomy Care	Ostomy Care	Suctioning	Injections
US	14.19%	1.13%	4.92%	1.44%	21.56%
AK	13.65%	1.59%	9.68%	2.54%	29.05%
AL	16.37%	0.45%	6.50%	0.81%	22.45%
AR	12.10%	0.47%	4.62%	1.06%	17.88%
AZ	17.71%	2.00%	3.79%	2.48%	25.51%
CA	12.75%	3.68%	7.77%	4.42%	24.06%
CO	28.47%	0.59%	3.01%	0.65%	15.92%
CT	12.43%	0.49%	2.45%	0.60%	18.30%
DC	7.74%	1.64%	4.71%	2.55%	22.94%
DE	13.31%	0.82%	3.47%	1.13%	21.59%
FL	16.13%	0.94%	5.88%	1.21%	24.94%
GA	13.29%	0.51%	6.05%	1.00%	23.74%
HI	8.51%	2.55%	11.19%	3.93%	15.17%
IA	13.69%	0.48%	3.17%	0.53%	14.12%
ID	24.55%	0.81%	4.03%	0.81%	24.26%
IL	10.82%	1.05%	4.74%	1.26%	22.65%
IN	14.46%	0.95%	3.99%	1.18%	22.40%
KS	14.78%	0.29%	2.78%	0.34%	18.77%
KY	18.23%	1.04%	6.83%	2.09%	23.65%
LA	8.89%	1.04%	7.41%	1.08%	20.28%
MA	11.21%	0.53%	2.40%	0.67%	17.39%
MD	12.75%	1.19%	4.23%	1.57%	24.36%
ME	12.29%	0.23%	2.43%	0.23%	19.64%
MI	14.03%	1.01%	4.42%	1.16%	22.47%
MN	13.48%	0.52%	3.52%	0.51%	18.90%
MO	14.11%	0.39%	3.02%	0.53%	20.80%
MS	12.04%	0.67%	8.93%	0.69%	23.30%
MT	18.96%	0.27%	2.90%	0.39%	16.62%
NC	13.85%	0.77%	5.47%	1.00%	24.81%
ND	15.22%	0.46%	4.51%	0.32%	18.21%
NE	15.34%	1.02%	4.77%	1.10%	17.34%
NH	14.49%	0.33%	2.63%	0.43%	17.29%
NJ	12.70%	1.46%	4.92%	1.78%	20.25%
NM	25.64%	0.40%	3.05%	0.63%	19.57%
NV	22.43%	2.56%	7.29%	3.17%	23.89%
NY	12.44%	1.99%	5.83%	2.54%	19.78%
OH	16.33%	1.10%	5.72%	1.24%	24.93%
OK	12.95%	0.54%	2.67%	0.89%	16.10%
OR	11.40%	0.68%	3.31%	0.93%	19.94%
PA	16.74%	1.11%	3.63%	1.34%	22.34%
RI	10.38%	0.45%	2.54%	0.45%	17.38%
SC	11.63%	0.46%	6.35%	0.85%	19.83%
SD	14.53%	0.25%	3.43%	0.28%	17.75%
TN	16.66%	0.59%	3.96%	0.98%	23.80%
TX	13.41%	0.85%	5.19%	1.17%	20.97%
UT	27.88%	1.21%	2.20%	1.40%	22.10%
VA	15.25%	0.93%	4.72%	1.39%	23.29%
VT	13.80%	0.41%	3.18%	0.79%	19.20%
WA	14.01%	0.90%	4.71%	1.12%	23.85%
WI	14.26%	0.51%	3.14%	0.54%	18.37%
WV	17.86%	0.41%	5.59%	0.51%	24.12%
WY	30.28%	0.12%	2.47%	0.29%	17.06%

Source: CMS OSCAR Form 672: F78, F124 - F128
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 16: Medical Condition - Special Care, September 2010

State	Tube Feeding	Mechanically Altered Diet	Special Rehab	Assistive Eating Device
US	5.85%	33.37%	24.58%	7.96%
AK	9.52%	36.51%	20.63%	5.56%
AL	8.31%	39.37%	21.99%	7.69%
AR	5.21%	32.14%	16.70%	5.21%
AZ	4.85%	33.84%	26.72%	6.84%
CA	11.44%	40.34%	23.45%	4.97%
CO	2.41%	29.05%	24.70%	10.59%
CT	3.09%	33.84%	23.12%	8.11%
DC	10.18%	31.60%	18.83%	1.56%
DE	4.82%	35.38%	27.59%	5.40%
FL	7.23%	36.80%	32.52%	8.18%
GA	7.13%	38.96%	20.80%	5.40%
HI	11.65%	54.08%	18.67%	6.66%
IA	1.92%	26.66%	14.58%	14.40%
ID	2.91%	31.79%	30.44%	11.72%
IL	4.67%	27.04%	21.47%	5.06%
IN	4.33%	28.22%	29.40%	8.62%
KS	2.21%	28.69%	19.23%	10.19%
KY	7.20%	37.00%	26.71%	11.33%
LA	7.82%	26.97%	25.70%	1.35%
MA	3.15%	35.49%	24.45%	11.51%
MD	7.87%	32.47%	25.79%	4.07%
ME	1.86%	41.99%	26.27%	15.72%
MI	5.46%	29.88%	28.14%	10.67%
MN	2.16%	22.90%	19.54%	11.69%
MO	3.38%	29.06%	21.77%	7.89%
MS	9.40%	36.16%	27.97%	4.24%
MT	2.33%	26.68%	17.98%	10.66%
NC	6.76%	38.55%	27.67%	8.66%
ND	2.31%	26.33%	12.91%	19.66%
NE	3.34%	25.52%	20.62%	13.28%
NH	1.68%	32.51%	28.30%	13.98%
NJ	6.71%	34.22%	23.65%	4.17%
NM	2.71%	36.62%	24.48%	6.01%
NV	8.87%	31.95%	28.93%	4.48%
NY	7.32%	32.11%	21.00%	7.37%
OH	5.30%	30.54%	27.26%	9.78%
OK	3.48%	26.12%	13.94%	2.97%
OR	4.00%	35.80%	30.11%	10.81%
PA	4.72%	36.90%	28.07%	12.08%
RI	2.68%	28.60%	24.66%	6.36%
SC	7.90%	40.63%	24.32%	7.60%
SD	1.63%	29.11%	14.58%	14.98%
TN	5.81%	41.25%	26.83%	6.50%
TX	6.94%	32.85%	25.61%	3.76%
UT	3.05%	32.07%	31.18%	5.84%
VA	6.07%	35.24%	25.55%	6.36%
VT	1.91%	35.46%	26.58%	12.91%
WA	4.62%	35.73%	30.04%	12.54%
WI	2.63%	29.15%	26.13%	15.17%
WV	4.37%	40.07%	27.63%	9.12%
WY	1.52%	32.26%	18.05%	12.77%

Source: CMS OSCAR Form 672: F78, F129 - F132
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Glossary of Terms for use with OSCAR data

Activities of Daily Living (ADL) are activities done during a normal day such as getting in and out of bed, dressing, bathing, eating, and using the bathroom. Patients are considered to be *independent* if they can execute an activity of daily living independent of direct care staff or with only “set up” assistance. Patients needing *assistance* can partially execute the activity of daily living but must have considerable assistance from direct care staff to successfully complete the activity. Patients who are *dependent* for an activity of daily living are not at all capable of executing the activity of daily living.

Advance Directive (Health Care) is a written health care directive prepared by patients in advance of needing to apply its contents which documents how a patient wants medical decisions to be made on their behalf in the event they become disabled and are unable to make their own health related decisions. A health care advance directive may include a Living Will and a Durable Power of Attorney for health care.

Certified Beds This measure represents the total number of certified beds in the nursing home. Some nursing homes can have a combination of Medicare, Medicaid, and/or private pay beds. Certified beds refer to those beds certified for use under the Medicare and/or Medicaid programs.

Certified Nursing Assistants (CNAs) provide care on a twenty-four hour basis. They work under the direction of a licensed nurse to assist patients with activities of daily living, i.e., eating, grooming, hygiene, dressing, transferring, and toileting. All full-time certified nursing assistants (CNAs) must have completed a competency evaluation program or nurse assistant training within 4 months of their permanent employment. They must also pursue continuing education each year.

Hospital-based - The nursing home is affiliated with a hospital.

Medicare is the federal health insurance program for: people 65 years of age or older, certain younger people with disabilities, and people with End-Stage Renal Disease (permanent kidney failure with dialysis or a transplant, sometimes called ESRD). Medicare pays for some nursing home care in specific situations and for no more than 100 days for each benefit period. A benefit period begins the day you go to a skilled nursing facility. The benefit period ends when you have not received skilled nursing care for 60 days in a row.

Medicaid is the joint federal and state program that helps with medical costs for some people with low incomes and limited resources. Medicaid programs vary from state to state, but most health care costs are covered if you qualify for both Medicare and Medicaid. Medicaid pays for long term care for people with low incomes and resources.

Multifacility - Multi-nursing home chains have two or more homes under one ownership or operation

Occupancy This measure indicates the percentage of certified beds occupied by patients at the time of the inspection. It is obtained by taking the number of patients occupying certified beds at the time of the inspection divided by the total number of certified beds in the nursing home.

Ownership - Nursing homes can be run by private for-profit corporations, non-profit corporations or government entities.

Patients in Certified Beds This number tells you how many patients in certified beds were living in the nursing home at the time of the inspection

Primary Payor is an insurance policy, plan, or program that pays first on a claim for medical care. This could be Medicare, Medicaid or other health insurance.

Registered Nurses and Licensed Practical and Vocational Nurses - Registered nurses (RNs) have between 2 and 6 years of education. Licensed practical and vocational nurses (LPNs/LVNs) generally have 1 year of training. By law, RNs must assess residents' needs. RNs and LPNs/LVNs work together to plan care, implement care and treatment, and evaluate residents' outcomes. Nurses must be licensed in the state and are on site to provide care to residents twenty-four hours per day, seven days a week.

Restraint is any physical or chemical way to stop a patient from being free to move. These restraints are used to prevent patient injury and are not used for treating medical symptoms.



American Health Care Association

1201 L Street, NW
Washington, DC, 20005
T: (202) 842-4444
Email: research@ahca.org