

NURSING FACILITIES, STAFF & PATIENTS

IOWA			
Facility Characteristics		Patient Characteristics	
Nursing Facilities	440	Total Patients Served	52,821
Total Employees (FTE)	31,476	Admissions	40,052
All Direct Care Staff (FTE)	17,127	Average Age	80.1
Registered Nurses (FTE)	2,302	Average ADL Dependence*	7.3
Licensed Practical Nurse (FTE)	2,930	Long Stays (> 100 days)	33,639
Aides (FTE)	11,895	Average Age	83.3
Average Bed Size	73	Average ADL Dependence*	7.5
Average Daily Census	54	% with Dementia	49.4%
Quality Measures**		Payer Breakdown	
Rehospitalization Rate	15.9%	Medicare	8.3%
Discharge to Community Rate	59.3%	Medicaid	45.9%
Off-Label Antipsychotic Use	15.0%	Other	45.7%

UNITED STATES			
Facility Characteristics		Patient Characteristics	
Nursing Facilities	15,631	Total Patients Served	3,904,610
Total Employees (FTE)	1,789,745	Admissions	3,558,471
All Direct Care Staff (FTE)	982,125	Average Age	77.4
Registered Nurses (FTE)	120,653	Average ADL Dependence*	7.7
Licensed Practical Nurse (FTE)	225,358	Long Stay Residents (> 100 days)	1,781,268
Aides (FTE)	636,114	Average Age	79.2
Average Bed Size	108	Average ADL Dependence*	8.1
Average Daily Census	86	% with Dementia	53.4%
Quality Measures**		Payer Breakdown	
Rehospitalization Rate	16.8%	Medicare	13.2%
Discharge to Community Rate	65.5%	Medicaid	61.8%
Off-Label Antipsychotic Use	15.5%	Other	25.0%

*Activities of Daily Living (ADL) score is based upon the four “late loss” ADLs (bed mobility, transfer, toilet use, and eating). Individual ADL scores range from 0 (least dependent) through 16 (most dependent). This calculation is a component for placement in all RUG-IV groups.

**Quality data represents the mean performance for the latest available quarter: PointRight Pro30 Rehospitalization (Short Stay) – 2017Q3, Discharge to Community (Short Stay) – 2017Q2, Antipsychotic (Long Stay) – 2017Q4

NURSING FACILITIES, STAFF & PATIENTS

CONGRESSIONAL DISTRICT 1			
Facility Characteristics		Patient Characteristics	
Nursing Facilities	104	Total Patients Served	14,329
Total Employees (FTE)	8,385	Admissions	10,473
All Direct Care Staff (FTE)	4,565	Long Stays (> 100 days)	8,529
Registered Nurses (FTE)	627	Payer Breakdown	
Licensed Practical Nurse (FTE)	761	Medicare	8.4%
Aides (FTE)	3,177	Medicaid	43.3%
Average Daily Census	60	Other	48.3%

IOWA			
Facility Characteristics		Patient Characteristics	
Nursing Facilities	440	Total Patients Served	52,821
Total Employees (FTE)	31,476	Admissions	40,052
All Direct Care Staff (FTE)	17,127	Average Age	80.1
Registered Nurses (FTE)	2,302	Average ADL Dependence*	7.3
Licensed Practical Nurse (FTE)	2,930	Long Stays (> 100 days)	33,639
Aides (FTE)	11,895	Average Age	83.3
Average Bed Size	73	Average ADL Dependence*	7.5
Average Daily Census	54	% with Dementia	49.4%
Quality Measures**		Payer Breakdown	
Rehospitalization Rate	15.9%	Medicare	8.3%
Discharge to Community Rate	59.3%	Medicaid	45.9%
Off-Label Antipsychotic Use	15.0%	Other	45.7%

UNITED STATES			
Facility Characteristics		Patient Characteristics	
Nursing Facilities	15,631	Total Patients Served	3,904,610
Total Employees (FTE)	1,789,745	Admissions	3,558,471
All Direct Care Staff (FTE)	982,125	Average Age	77.4
Registered Nurses (FTE)	120,653	Average ADL Dependence*	7.7
Licensed Practical Nurse (FTE)	225,358	Long Stay Residents (> 100 days)	1,781,268
Aides (FTE)	636,114	Average Age	79.2
Average Bed Size	108	Average ADL Dependence*	8.1
Average Daily Census	86	% with Dementia	53.4%
Quality Measures**		Payer Breakdown	
Rehospitalization Rate	16.8%	Medicare	13.2%
Discharge to Community Rate	65.5%	Medicaid	61.8%
Off-Label Antipsychotic Use	15.5%	Other	25.0%

*Activities of Daily Living (ADL) score is based upon the four “late loss” ADLs (bed mobility, transfer, toilet use, and eating). Individual ADL scores range from 0 (least dependent) through 16 (most dependent). This calculation is a component for placement in all RUG-IV groups.

**Quality data represents the mean performance for the latest available quarter: PointRight Pro30 Rehospitalization (Short Stay) – 2017Q3, Discharge to Community (Short Stay) – 2017Q2, Antipsychotic (Long Stay) – 2017Q4

NURSING FACILITIES, STAFF & PATIENTS

CONGRESSIONAL DISTRICT 2			
Facility Characteristics		Patient Characteristics	
Nursing Facilities	95	Total Patients Served	12,771
Total Employees (FTE)	6,918	Admissions	10,075
All Direct Care Staff (FTE)	3,837	Long Stays (> 100 days)	7,751
Registered Nurses (FTE)	530	Payer Breakdown	
Licensed Practical Nurse (FTE)	672	Medicare	9.2%
Aides (FTE)	2,635	Medicaid	48.8%
Average Daily Census	57	Other	42.1%

IOWA			
Facility Characteristics		Patient Characteristics	
Nursing Facilities	440	Total Patients Served	52,821
Total Employees (FTE)	31,476	Admissions	40,052
All Direct Care Staff (FTE)	17,127	Average Age	80.1
Registered Nurses (FTE)	2,302	Average ADL Dependence*	7.3
Licensed Practical Nurse (FTE)	2,930	Long Stays (> 100 days)	33,639
Aides (FTE)	11,895	Average Age	83.3
Average Bed Size	73	Average ADL Dependence*	7.5
Average Daily Census	54	% with Dementia	49.4%
Quality Measures**		Payer Breakdown	
Rehospitalization Rate	15.9%	Medicare	8.3%
Discharge to Community Rate	59.3%	Medicaid	45.9%
Off-Label Antipsychotic Use	15.0%	Other	45.7%

UNITED STATES			
Facility Characteristics		Patient Characteristics	
Nursing Facilities	15,631	Total Patients Served	3,904,610
Total Employees (FTE)	1,789,745	Admissions	3,558,471
All Direct Care Staff (FTE)	982,125	Average Age	77.4
Registered Nurses (FTE)	120,653	Average ADL Dependence*	7.7
Licensed Practical Nurse (FTE)	225,358	Long Stay Residents (> 100 days)	1,781,268
Aides (FTE)	636,114	Average Age	79.2
Average Bed Size	108	Average ADL Dependence*	8.1
Average Daily Census	86	% with Dementia	53.4%
Quality Measures**		Payer Breakdown	
Rehospitalization Rate	16.8%	Medicare	13.2%
Discharge to Community Rate	65.5%	Medicaid	61.8%
Off-Label Antipsychotic Use	15.5%	Other	25.0%

*Activities of Daily Living (ADL) score is based upon the four “late loss” ADLs (bed mobility, transfer, toilet use, and eating). Individual ADL scores range from 0 (least dependent) through 16 (most dependent). This calculation is a component for placement in all RUG-IV groups.

**Quality data represents the mean performance for the latest available quarter: PointRight Pro30 Rehospitalization (Short Stay) – 2017Q3, Discharge to Community (Short Stay) – 2017Q2, Antipsychotic (Long Stay) – 2017Q4

NURSING FACILITIES, STAFF & PATIENTS

CONGRESSIONAL DISTRICT 3			
Facility Characteristics		Patient Characteristics	
Nursing Facilities	83	Total Patients Served	11,159
Total Employees (FTE)	6,720	Admissions	9,012
All Direct Care Staff (FTE)	3,432	Long Stays (> 100 days)	6,436
Registered Nurses (FTE)	451	Payer Breakdown	
Licensed Practical Nurse (FTE)	621	Medicare	10.2%
Aides (FTE)	2,359	Medicaid	48.6%
Average Daily Census	55	Other	41.2%

IOWA			
Facility Characteristics		Patient Characteristics	
Nursing Facilities	440	Total Patients Served	52,821
Total Employees (FTE)	31,476	Admissions	40,052
All Direct Care Staff (FTE)	17,127	Average Age	80.1
Registered Nurses (FTE)	2,302	Average ADL Dependence*	7.3
Licensed Practical Nurse (FTE)	2,930	Long Stays (> 100 days)	33,639
Aides (FTE)	11,895	Average Age	83.3
Average Bed Size	73	Average ADL Dependence*	7.5
Average Daily Census	54	% with Dementia	49.4%
Quality Measures**		Payer Breakdown	
Rehospitalization Rate	15.9%	Medicare	8.3%
Discharge to Community Rate	59.3%	Medicaid	45.9%
Off-Label Antipsychotic Use	15.0%	Other	45.7%

UNITED STATES			
Facility Characteristics		Patient Characteristics	
Nursing Facilities	15,631	Total Patients Served	3,904,610
Total Employees (FTE)	1,789,745	Admissions	3,558,471
All Direct Care Staff (FTE)	982,125	Average Age	77.4
Registered Nurses (FTE)	120,653	Average ADL Dependence*	7.7
Licensed Practical Nurse (FTE)	225,358	Long Stay Residents (> 100 days)	1,781,268
Aides (FTE)	636,114	Average Age	79.2
Average Bed Size	108	Average ADL Dependence*	8.1
Average Daily Census	86	% with Dementia	53.4%
Quality Measures**		Payer Breakdown	
Rehospitalization Rate	16.8%	Medicare	13.2%
Discharge to Community Rate	65.5%	Medicaid	61.8%
Off-Label Antipsychotic Use	15.5%	Other	25.0%

*Activities of Daily Living (ADL) score is based upon the four “late loss” ADLs (bed mobility, transfer, toilet use, and eating). Individual ADL scores range from 0 (least dependent) through 16 (most dependent). This calculation is a component for placement in all RUG-IV groups.

**Quality data represents the mean performance for the latest available quarter: PointRight Pro30 Rehospitalization (Short Stay) – 2017Q3, Discharge to Community (Short Stay) – 2017Q2, Antipsychotic (Long Stay) – 2017Q4

NURSING FACILITIES, STAFF & PATIENTS

CONGRESSIONAL DISTRICT 4			
Facility Characteristics		Patient Characteristics	
Nursing Facilities	158	Total Patients Served	15,096
Total Employees (FTE)	9,454	Admissions	10,492
All Direct Care Staff (FTE)	5,293	Long Stays (> 100 days)	10,923
Registered Nurses (FTE)	693	Payer Breakdown	
Licensed Practical Nurse (FTE)	876	Medicare	6.6%
Aides (FTE)	3,723	Medicaid	44.4%
Average Daily Census	48	Other	49.0%

IOWA			
Facility Characteristics		Patient Characteristics	
Nursing Facilities	440	Total Patients Served	52,821
Total Employees (FTE)	31,476	Admissions	40,052
All Direct Care Staff (FTE)	17,127	Average Age	80.1
Registered Nurses (FTE)	2,302	Average ADL Dependence*	7.3
Licensed Practical Nurse (FTE)	2,930	Long Stays (> 100 days)	33,639
Aides (FTE)	11,895	Average Age	83.3
Average Bed Size	73	Average ADL Dependence*	7.5
Average Daily Census	54	% with Dementia	49.4%
Quality Measures**		Payer Breakdown	
Rehospitalization Rate	15.9%	Medicare	8.3%
Discharge to Community Rate	59.3%	Medicaid	45.9%
Off-Label Antipsychotic Use	15.0%	Other	45.7%

UNITED STATES			
Facility Characteristics		Patient Characteristics	
Nursing Facilities	15,631	Total Patients Served	3,904,610
Total Employees (FTE)	1,789,745	Admissions	3,558,471
All Direct Care Staff (FTE)	982,125	Average Age	77.4
Registered Nurses (FTE)	120,653	Average ADL Dependence*	7.7
Licensed Practical Nurse (FTE)	225,358	Long Stay Residents (> 100 days)	1,781,268
Aides (FTE)	636,114	Average Age	79.2
Average Bed Size	108	Average ADL Dependence*	8.1
Average Daily Census	86	% with Dementia	53.4%
Quality Measures**		Payer Breakdown	
Rehospitalization Rate	16.8%	Medicare	13.2%
Discharge to Community Rate	65.5%	Medicaid	61.8%
Off-Label Antipsychotic Use	15.5%	Other	25.0%

*Activities of Daily Living (ADL) score is based upon the four “late loss” ADLs (bed mobility, transfer, toilet use, and eating). Individual ADL scores range from 0 (least dependent) through 16 (most dependent). This calculation is a component for placement in all RUG-IV groups.

**Quality data represents the mean performance for the latest available quarter: PointRight Pro30 Rehospitalization (Short Stay) – 2017Q3, Discharge to Community (Short Stay) – 2017Q2, Antipsychotic (Long Stay) – 2017Q4