



## AHCA Quality Initiative Progress (as of July 27, 2017)

### ORGANIZATIONAL SUCCESS

#### Staff Stability

- **Goal:** Decrease turnover rates among nursing staff (RN, LPN/LVN, CNA/LNA) by 15% or achieve/maintain at or less than 40% by March 2018
- **Progress:** As of February 2017\*, 6.4% of members have achieved a nursing turnover rate at or below 40%. For more information, click [here](#).

#### Customer Satisfaction

- **Goal:** At least 25% of members will measure and report long-stay resident and family satisfaction and/or short-stay satisfaction using the Core-Q survey by March 2018
- **Progress:** As of February 2017\*, 8.4% of members have achieved this goal. For more information, click [here](#).

#### Unintended Health Care Outcomes

- **Goal:** Reducing the number of unintended health care outcomes by March 2018.
- **Progress:** This measure is under development. For resources on reducing unintended health care outcomes, click [here](#).

*(\*) the latest data as of July 27*

## SHORT-STAY/POST-ACUTE CARE

### Hospital Readmissions

- **Goal:** Safely reduce the number of hospital readmissions within 30 days during a skilled nursing center stay by an additional 15% or achieve and maintain a low rate of 10% by March 2018.
- **Progress:** As of December 2016\*, 22.1% of members centers have achieved a 30% reduction in hospital readmissions or achieved a rehospitalization rate below 10%. For more data and resources, click [here](#).
  - Since January 2012 AHCA members have prevented over 79,000 all-payer readmissions and saved over \$820 million.
  - Unlike the readmissions measure on Nursing Home Compare, which only includes Medicare Fee-For-Service (FFS), the PointRight® Pro 30™ measure AHCA uses to track progress includes everyone admitted to a SNF regardless of payer.

**Average 30-Day Risk-Adjusted Readmissions Rate in SNFs (Measure: PointRight® Pro 30™)**

Quarter	National Average Rate	Member Average Rate	Non-Member Average Rate
2011 Q4	18.9	19.1	18.7
2012 Q1	18.8	18.9	18.5
2012 Q2	18.6	18.7	18.2
2012 Q3	18.4	18.5	18.0
2012 Q4	18.2	18.4	17.9
2013 Q1	18.0	18.2	17.7
2013 Q2	17.9	18.1	17.6
2013 Q3	17.8	18.0	17.5
2013 Q4	18.0	18.1	17.7
2014 Q1	17.8	18.0	17.5
2014 Q2	17.8	17.9	17.4
2014 Q3	17.7	17.9	17.4
2014 Q4	17.7	17.9	17.4
2015 Q1	17.7	17.8	17.3
2015 Q2	17.6	17.7	17.2
2015 Q3	17.5	17.6	17.2
2015 Q4	17.3	17.5	17.0
2016 Q1	17.2	17.4	16.9
2016 Q2	17.1	17.3	16.9
2016 Q3	17.0	17.2	16.8
2016 Q4	17.0	17.1	16.8

(\*) the latest data as of July 27

**Readmissions Avoided and Cost Saved by Members**

Quarter	AHCA Members		
	Average Rate	Read. Prevented	Cost Saved (\$10,354 / Event)
2011 Q4	19.1	0	\$0
2012 Q1	18.9	838	\$8,678,810
2012 Q2	18.7	1,734	\$17,951,989
2012 Q3	18.5	2,504	\$25,924,841
2012 Q4	18.4	3,282	\$33,983,067
2013 Q1	18.2	4,210	\$43,585,894
2013 Q2	18.1	4,828	\$49,992,528
2013 Q3	18.0	5,309	\$54,970,992
2013 Q4	18.1	4,650	\$48,148,299
2014 Q1	18.0	5,312	\$55,002,171
2014 Q2	17.9	5,610	\$58,082,650
2014 Q3	17.9	5,945	\$61,556,113
2014 Q4	17.9	6,049	\$62,626,309
2015 Q1	17.8	6,383	\$66,088,370
2015 Q2	17.7	6,958	\$72,038,059
2015 Q3	17.6	7,498	\$77,629,336
2015 Q4	17.5	8,200	\$84,905,535
2016 Q1	17.4	8,819	\$91,316,049
2016 Q2	17.3	9,343	\$96,740,464
2016 Q3	17.2	9,813	\$101,608,976
2016 Q4	17.1	10,361	\$107,277,192
<b>Total</b>		<b>79,310</b>	<b>\$821,164,962</b>

*(\*) the latest data as of July 27*

## Discharge Back to the Community

- **Goal:** Improve discharge back to the community by 10% or achieve and maintain a high rate of at least 70% by March 2018.
- **Progress:** As of September 2016\*, 37.4% of AHCA members have improved their baseline rate by 10% or achieved a 70% rate of safe discharges back to the community. For more data and resources, click [here](#).
  - Unlike the discharge to community measure on Nursing Home Compare, which includes only Medicare Fee-For-Service (FFS), AHCA's safe discharge to community measure for tracking progress includes everyone admitted to a SNF regardless of payer.

**Average Discharge to Community Rate in SNFs (Measure: AHCA Discharge to Community)**

Quarter	National Average Rate	Member Average Rate	Non-Member Average Rate
2014 Q4	63.8	63.9	63.7
2015 Q1	63.8	63.9	63.7
2015 Q2	64.0	64.1	63.9
2015 Q3	64.2	64.3	64.0
2015 Q4	64.6	64.7	64.3
2016 Q1	64.9	65.1	64.6
2016 Q2	65.1	65.2	64.8
2016 Q3	65.2	65.3	64.9

**NOTE: Higher rate is better**

*(\*) the latest data as of July 27*

## Functional Outcomes

- **Goal:** Improve functional outcomes by 10% or maintain an average rate of improvement of 75% by April 2018.
- **Progress:** Based on CMS data, as of March 2017\*, 53.3% of AHCA members have achieved the goal of a 10% improvement from baseline or achieved an average rate of improvement greater than or equal to 75%. For more information, click [here](#).

**Average Short-Stay Functional Improvement in SNFs (Source: Nursing Home Compare)**

Quarter	National Average Rate	Member Average Rate	Non-Member Average Rate
2015 Q4	63.4	63.4	63.4
2016 Q1	63.0	63.0	63.0
2016 Q2	63.5	63.5	63.4
2016 Q3	65.0	65.2	64.8
2016 Q4	66.4	66.6	66.0
2017 Q1	67.4	67.6	67.0

**NOTE: Higher rate is better**

*(\*) the latest data as of July 27*

## LONG-TERM/DEMENTIA CARE

### Antipsychotics

- **Goal:** Safely reduce the off-label use of antipsychotics in long-stay nursing center residents by a total of 30% by December 2016.
- **Progress:** Based on CMS data, as of October 2016\*, 55.3% of AHCA members have achieved the goal of a 30% reduction. For more data and resources, click [here](#).
  - 15.2% of long-stay residents in AHCA member centers were given antipsychotics at some point during Q1 2017\*.
  - AHCA members' average rate has decreased by 35.5%\* from Q4 2011, which saw a 23.6% off-label use of antipsychotics.

**Average Long-Stay Off-Label Use of Antipsychotics in SNFs (Source: Nursing Home Compare)**

Quarter	National Average Rate	Member Average Rate	Non-Member Average Rate
2011 Q4	23.5	23.6	23.2
2012 Q1	23.6	23.7	23.5
2012 Q2	23.0	23.0	22.9
2012 Q3	22.7	22.7	22.7
2012 Q4	22.0	22.0	22.2
2013 Q1	21.4	21.2	21.6
2013 Q2	20.8	20.6	21.2
2013 Q3	20.4	20.1	20.8
2013 Q4	19.9	19.6	20.4
2014 Q1	19.4	19.2	19.9
2014 Q2	19.0	18.7	19.6
2014 Q3	18.9	18.6	19.4
2014 Q4	18.7	18.4	19.3
2015 Q1	18.3	18.1	18.8
2015 Q2	17.6	17.3	18.1
2015 Q3	17.1	16.8	17.7
2015 Q4	16.7	16.4	17.3
2016 Q1	16.5	16.2	17.1
2016 Q2	16.1	15.8	16.8
2016 Q3	16.0	15.6	16.6
2016 Q4	15.8	15.5	16.4
2017 Q1	15.6	15.2	16.3

**NOTE: Lower rate is better**

*(\*) the latest data as of July 27*

## Hospitalizations

- **Goal:** Safely reduce hospitalizations among long-stay residents by 15% or achieve/maintain a low rate of 10% or less by March 2018.
- **Progress:** As of December 2016\*, 39.4% of AHCA members have improved their baseline rate by 15% or achieved a 10% rate of long-stay hospitalizations. For more information, click [here](#).

**Average Long-Stay Hospitalization Rate in SNFs (Measure: PointRight® Pro Long Stay™)**

Quarter	National Average Rate	Member Average Rate	Non-Member Average Rate
2014 Q4	14.2	14.2	14.1
2015 Q1	14.5	14.5	14.4
2015 Q2	14.5	14.6	14.4
2015 Q3	14.6	14.6	14.4
2015 Q4	14.4	14.5	14.3
2016 Q1	14.2	14.3	14.0
2016 Q2	14.1	14.2	13.9
2016 Q3	14.1	14.1	13.9
2016 Q4	14.1	14.2	14.0

**NOTE: Lower rate is better**

*(\*) the latest data as of July 27*