

LTC Stats:

Nursing Facility Patient Characteristics Report

September 2011 Update

Prepared By

Research Department
American Health Care Association



LTC Stats: Nursing Facility Patient Characteristics Report

Table of Contents

Table 1: Nursing Facility Patient Overview	3
Table 2: Patients by Payor – Number of Patients	4
Table 3: Patients by Payor – Percentage of Patients.....	5
Table 4: Activities of Daily Living – Bathing – Percent of Patients and Dependency.....	6
Table 5: Activities of Daily Living – Dressing – Percent of Patients and Dependency	7
Table 6: Activities of Daily Living – Eating – Percent of Patients and Dependency	8
Table 7: Activities of Daily Living – Toileting – Percent of Patients and Dependency.....	9
Table 8: Activities of Daily Living – Transferring – Percent of Patients and Dependency	10
Table 9: Medical Condition – Bladder and Bowel Status.....	11
Table 10: Medical Condition – Medications	12
Table 11: Medical Condition – Mobility	13
Table 12: Medical Condition – Mental Status	14
Table 13: Medical Condition – Weight Loss and Communication	15
Table 14: Medical Condition – Advance Directives and Vaccinations	16
Table 15: Medical Condition – Skin Integrity	17
Table 16: Medical Condition – Special Care.....	18
Glossary of Terms.....	21
Contact Information.....	23

Source: Center for Medicare & Medicaid Services Online Survey Certification and Reporting (CMS-OSCAR) data as of September 2011



Table 1: Nursing Facility Patient Overview, September 2011

State	Facilities	Total Patients	Avg Facility Patients	Median Facility Patients	State Avg ADL Dependence
US	15,681	1,390,179	88.7	81.0	4.08
AK	15	610	40.7	23.0	4.08
AL	228	22,861	100.3	95.0	4.12
AR	234	18,050	77.1	76.5	3.87
AZ	140	11,557	82.6	81.0	4.05
CA	1,233	102,591	83.2	81.0	4.22
CO	212	16,129	76.1	74.0	3.96
CT	238	25,828	108.5	107.0	3.83
DC	19	2,609	137.3	115.0	4.04
DE	47	4,188	89.1	93.0	3.95
FL	682	72,144	105.8	107.0	4.20
GA	359	34,367	95.7	91.0	4.22
HI	47	3,770	80.2	80.0	4.56
IA	442	25,066	56.7	51.0	3.79
ID	79	4,325	54.7	53.0	4.21
IL	781	74,348	95.2	81.0	3.60
IN	507	38,998	76.9	71.0	4.16
KS	342	18,810	55.0	47.0	3.76
KY	283	23,292	82.3	82.0	4.16
LA	283	25,613	90.5	91.0	4.04
MA	427	42,903	100.5	102.0	4.08
MD	230	24,562	106.8	102.0	4.18
ME	109	6,404	58.8	53.0	4.35
MI	428	39,794	93.0	90.0	4.15
MN	384	28,786	75.0	62.0	3.90
MO	514	37,687	73.3	67.0	3.74
MS	203	16,499	81.3	76.0	4.09
MT	84	4,821	57.4	52.0	4.17
NC	423	37,325	88.2	91.0	4.25
ND	84	5,780	68.8	51.5	3.84
NE	222	12,623	56.9	48.0	4.00
NH	78	6,895	88.4	79.5	3.87
NJ	362	45,568	125.9	114.0	4.01
NM	71	5,644	79.5	76.0	4.28
NV	50	4,678	93.6	88.5	4.20
NY	635	108,764	171.3	150.0	4.21
OH	961	78,895	82.1	80.0	4.19
OK	312	19,406	62.2	58.0	3.70
OR	138	7,555	54.7	49.5	4.17
PA	710	80,457	113.3	104.0	4.17
RI	85	7,967	93.7	92.0	3.74
SC	187	17,279	92.4	86.0	4.40
SD	111	6,495	58.5	50.0	3.84
TN	321	31,905	99.4	95.0	4.31
TX	1,187	91,635	77.2	75.0	4.04
UT	100	5,341	53.4	51.0	4.33
VA	287	28,361	98.8	100.0	4.23
VT	40	2,849	71.2	61.0	4.07
WA	228	17,790	78.0	77.5	4.20
WI	393	29,929	76.2	67.0	3.93
WV	108	8,024	74.3	66.0	4.17
WY	38	2,402	63.2	54.0	3.91

Source: CMS Form 672: F78 - F93
LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



**Table 2: Nursing Facility Patients by Payor -
Number of Patients, September 2011**

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,390,179	200,107	882,009	308,063
AK	610	66	485	59
AL	22,861	3,153	15,460	4,248
AR	18,050	2,084	12,201	3,765
AZ	11,557	1,718	7,155	2,684
CA	102,591	15,070	68,154	19,367
CO	16,129	1,900	9,582	4,647
CT	25,828	3,675	17,414	4,739
DC	2,609	275	1,821	513
DE	4,188	688	2,447	1,053
FL	72,144	15,015	42,291	14,838
GA	34,367	4,400	24,662	5,305
HI	3,770	405	2,580	785
IA	25,066	2,100	11,818	11,148
ID	4,325	693	2,705	927
IL	74,348	11,437	46,673	16,238
IN	38,998	6,433	24,245	8,320
KS	18,810	1,908	10,245	6,657
KY	23,292	3,670	15,183	4,439
LA	25,613	3,136	18,594	3,883
MA	42,903	6,048	27,020	9,835
MD	24,562	4,224	15,033	5,305
ME	6,404	981	4,241	1,182
MI	39,794	7,426	24,766	7,602
MN	28,786	3,000	15,974	9,812
MO	37,687	4,625	22,975	10,087
MS	16,499	2,415	12,440	1,644
MT	4,821	606	2,678	1,537
NC	37,325	6,168	24,850	6,307
ND	5,780	445	3,056	2,279
NE	12,623	1,526	6,631	4,466
NH	6,895	1,007	4,456	1,432
NJ	45,568	8,352	28,418	8,798
NM	5,644	792	3,595	1,257
NV	4,678	870	2,591	1,217
NY	108,764	12,954	77,603	18,207
OH	78,895	9,840	49,667	19,388
OK	19,406	2,293	12,754	4,359
OR	7,555	1,066	4,581	1,908
PA	80,457	9,310	50,154	20,993
RI	7,967	757	5,134	2,076
SC	17,279	2,989	10,778	3,512
SD	6,495	613	3,527	2,355
TN	31,905	5,114	19,992	6,799
TX	91,635	13,474	57,637	20,524
UT	5,341	1,027	2,862	1,452
VA	28,361	5,376	17,324	5,661
VT	2,849	435	1,814	600
WA	17,790	3,137	10,699	3,954
WI	29,929	3,938	17,854	8,137
WV	8,024	1,161	5,750	1,113
WY	2,402	312	1,440	650



Table 3: Nursing Facility Patients by Payor - Percentage of Patients, September 2011

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,390,179	14.4%	63.4%	22.2%
AK	610	10.8%	79.5%	9.7%
AL	22,861	13.8%	67.6%	18.6%
AR	18,050	11.5%	67.6%	20.9%
AZ	11,557	14.9%	61.9%	23.2%
CA	102,591	14.7%	66.4%	18.9%
CO	16,129	11.8%	59.4%	28.8%
CT	25,828	14.2%	67.4%	18.3%
DC	2,609	10.5%	69.8%	19.7%
DE	4,188	16.4%	58.4%	25.1%
FL	72,144	20.8%	58.6%	20.6%
GA	34,367	12.8%	71.8%	15.4%
HI	3,770	10.7%	68.4%	20.8%
IA	25,066	8.4%	47.1%	44.5%
ID	4,325	16.0%	62.5%	21.4%
IL	74,348	15.4%	62.8%	21.8%
IN	38,998	16.5%	62.2%	21.3%
KS	18,810	10.1%	54.5%	35.4%
KY	23,292	15.8%	65.2%	19.1%
LA	25,613	12.2%	72.6%	15.2%
MA	42,903	14.1%	63.0%	22.9%
MD	24,562	17.2%	61.2%	21.6%
ME	6,404	15.3%	66.2%	18.5%
MI	39,794	18.7%	62.2%	19.1%
MN	28,786	10.4%	55.5%	34.1%
MO	37,687	12.3%	61.0%	26.8%
MS	16,499	14.6%	75.4%	10.0%
MT	4,821	12.6%	55.5%	31.9%
NC	37,325	16.5%	66.6%	16.9%
ND	5,780	7.7%	52.9%	39.4%
NE	12,623	12.1%	52.5%	35.4%
NH	6,895	14.6%	64.6%	20.8%
NJ	45,568	18.3%	62.4%	19.3%
NM	5,644	14.0%	63.7%	22.3%
NV	4,678	18.6%	55.4%	26.0%
NY	108,764	11.9%	71.3%	16.7%
OH	78,895	12.5%	63.0%	24.6%
OK	19,406	11.8%	65.7%	22.5%
OR	7,555	14.1%	60.6%	25.3%
PA	80,457	11.6%	62.3%	26.1%
RI	7,967	9.5%	64.4%	26.1%
SC	17,279	17.3%	62.4%	20.3%
SD	6,495	9.4%	54.3%	36.3%
TN	31,905	16.0%	62.7%	21.3%
TX	91,635	14.7%	62.9%	22.4%
UT	5,341	19.2%	53.6%	27.2%
VA	28,361	19.0%	61.1%	20.0%
VT	2,849	15.3%	63.7%	21.1%
WA	17,790	17.6%	60.1%	22.2%
WI	29,929	13.2%	59.7%	27.2%
WV	8,024	14.5%	71.7%	13.9%
WY	2,402	13.0%	60.0%	27.1%

Source: CMS Form 672: F75 - F78
LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 4: Activities of Daily Living - Bathing - Percent of Patients and Dependency, September 2011

State	Independent	Assisted	Dependent	Total Bathing Dependence
US	4.05%	62.97%	32.98%	95.95%
AK	5.25%	62.62%	32.13%	94.75%
AL	2.80%	58.09%	39.11%	97.20%
AR	5.37%	61.46%	33.17%	94.63%
AZ	4.10%	67.17%	28.73%	95.90%
CA	4.37%	56.49%	39.15%	95.63%
CO	3.89%	70.44%	25.66%	96.11%
CT	5.89%	58.41%	35.71%	94.11%
DC	7.36%	43.81%	48.83%	92.64%
DE	5.47%	50.26%	44.27%	94.53%
FL	2.78%	62.38%	34.84%	97.22%
GA	2.71%	53.50%	43.79%	97.29%
HI	0.66%	53.16%	46.18%	99.34%
IA	1.46%	79.98%	18.56%	98.54%
ID	1.99%	74.64%	23.38%	98.01%
IL	11.86%	70.25%	17.89%	88.14%
IN	3.52%	69.54%	26.94%	96.48%
KS	4.47%	72.85%	22.68%	95.53%
KY	2.43%	61.13%	36.44%	97.57%
LA	4.62%	63.49%	31.89%	95.38%
MA	4.06%	55.93%	40.01%	95.94%
MD	4.39%	47.26%	48.35%	95.61%
ME	2.92%	63.66%	33.42%	97.08%
MI	1.88%	72.64%	25.48%	98.12%
MN	3.28%	75.65%	21.08%	96.72%
MO	6.16%	70.21%	23.63%	93.84%
MS	2.32%	68.20%	29.47%	97.68%
MT	2.26%	78.43%	19.31%	97.74%
NC	3.50%	50.56%	45.94%	96.50%
ND	1.59%	79.29%	19.12%	98.41%
NE	1.30%	73.03%	25.67%	98.70%
NH	3.48%	71.73%	24.79%	96.52%
NJ	4.87%	56.91%	38.21%	95.13%
NM	1.68%	67.31%	31.01%	98.32%
NV	3.53%	60.37%	36.11%	96.47%
NY	4.28%	60.71%	35.01%	95.72%
OH	3.59%	69.23%	27.17%	96.41%
OK	5.31%	68.12%	26.57%	94.69%
OR	2.42%	72.57%	25.00%	97.58%
PA	4.06%	58.04%	37.90%	95.94%
RI	5.21%	65.66%	29.13%	94.79%
SC	1.52%	53.87%	44.60%	98.48%
SD	1.42%	81.59%	17.00%	98.58%
TN	1.96%	61.03%	37.02%	98.04%
TX	3.18%	60.78%	36.04%	96.82%
UT	3.84%	69.11%	27.05%	96.16%
VA	3.84%	49.04%	47.12%	96.16%
VT	3.40%	63.04%	33.56%	96.60%
WA	2.82%	72.97%	24.21%	97.18%
WI	2.73%	72.18%	25.09%	97.27%
WV	2.03%	51.56%	46.41%	97.97%
WY	2.83%	75.15%	22.02%	97.17%



Table 5: Activities of Daily Living - Dressing - Percent of Patients and Dependency, September 2011

State	Independent	Assisted	Dependent	Total Dressing Dependence
US	9.76%	66.71%	23.54%	90.24%
AK	8.20%	70.82%	20.98%	91.80%
AL	7.48%	64.40%	28.13%	92.52%
AR	13.72%	60.62%	25.66%	86.28%
AZ	9.96%	68.27%	21.77%	90.04%
CA	7.77%	63.29%	28.95%	92.23%
CO	12.88%	70.25%	16.87%	87.12%
CT	11.64%	58.22%	30.14%	88.36%
DC	12.07%	46.30%	41.63%	87.93%
DE	10.43%	57.52%	32.04%	89.57%
FL	7.27%	64.46%	28.28%	92.73%
GA	8.08%	62.10%	29.82%	91.92%
HI	2.02%	68.25%	29.73%	97.98%
IA	12.39%	74.60%	13.02%	87.61%
ID	8.16%	76.69%	15.14%	91.84%
IL	19.58%	67.51%	12.91%	80.42%
IN	8.74%	73.97%	17.29%	91.26%
KS	16.63%	67.44%	15.93%	83.37%
KY	6.34%	67.30%	26.36%	93.66%
LA	14.07%	63.18%	22.74%	85.93%
MA	5.73%	59.15%	35.13%	94.27%
MD	6.88%	55.49%	37.63%	93.12%
ME	3.08%	79.62%	17.30%	96.92%
MI	7.05%	75.08%	17.87%	92.95%
MN	11.95%	76.78%	11.26%	88.05%
MO	16.96%	64.91%	18.13%	83.04%
MS	10.30%	72.67%	17.03%	89.70%
MT	10.56%	78.12%	11.33%	89.44%
NC	6.94%	64.21%	28.84%	93.06%
ND	11.82%	79.00%	9.19%	88.18%
NE	12.45%	71.95%	15.61%	87.55%
NH	10.66%	72.92%	16.42%	89.34%
NJ	10.04%	58.63%	31.33%	89.96%
NM	8.20%	70.22%	21.58%	91.80%
NV	8.36%	69.09%	22.55%	91.64%
NY	8.65%	64.74%	26.61%	91.35%
OH	8.38%	73.75%	17.87%	91.62%
OK	17.60%	61.23%	21.17%	82.40%
OR	6.54%	74.30%	19.17%	93.46%
PA	7.27%	68.49%	24.24%	92.73%
RI	10.52%	66.80%	22.68%	89.48%
SC	3.00%	65.07%	31.93%	97.00%
SD	14.18%	76.47%	9.35%	85.82%
TN	5.75%	67.21%	27.05%	94.25%
TX	11.70%	64.56%	23.74%	88.30%
UT	6.63%	77.94%	15.43%	93.37%
VA	7.53%	60.38%	32.09%	92.47%
VT	6.81%	70.83%	22.36%	93.19%
WA	7.28%	77.12%	15.59%	92.72%
WI	9.80%	73.82%	16.39%	90.20%
WV	7.96%	67.26%	24.78%	92.04%
WY	15.07%	71.44%	13.49%	84.93%



Table 6: Activities of Daily Living - Eating - Percent of Patients and Dependency, September 2011

State	Independent	Assisted	Dependent	Total Eating Dependence
US	46.17%	39.06%	14.76%	53.83%
AK	50.82%	32.46%	16.72%	49.18%
AL	47.64%	32.74%	19.62%	52.36%
AR	50.68%	33.52%	15.80%	49.32%
AZ	51.16%	36.74%	12.11%	48.84%
CA	40.12%	38.47%	21.42%	59.88%
CO	48.76%	41.92%	9.32%	51.24%
CT	57.76%	25.91%	16.32%	42.24%
DC	42.43%	36.22%	21.35%	57.57%
DE	54.92%	28.82%	16.26%	45.08%
FL	45.74%	36.51%	17.75%	54.26%
GA	38.41%	43.84%	17.75%	61.59%
HI	32.47%	42.47%	25.07%	67.53%
IA	60.70%	31.81%	7.49%	39.30%
ID	44.32%	45.97%	9.71%	55.68%
IL	53.37%	37.11%	9.52%	46.63%
IN	41.08%	48.28%	10.65%	58.92%
KS	54.39%	36.68%	8.93%	45.61%
KY	50.48%	31.79%	17.73%	49.52%
LA	34.03%	51.82%	14.15%	65.97%
MA	52.97%	32.24%	14.79%	47.03%
MD	45.41%	35.54%	19.05%	54.59%
ME	47.60%	39.55%	12.85%	52.40%
MI	51.83%	35.95%	12.23%	48.17%
MN	56.38%	35.55%	8.07%	43.62%
MO	51.87%	37.75%	10.38%	48.13%
MS	43.12%	40.98%	15.90%	56.88%
MT	37.50%	54.01%	8.48%	62.50%
NC	42.55%	40.34%	17.11%	57.45%
ND	60.83%	31.78%	7.39%	39.17%
NE	49.99%	40.16%	9.86%	50.01%
NH	58.49%	32.24%	9.27%	41.51%
NJ	48.85%	33.19%	17.96%	51.15%
NM	34.25%	54.46%	11.29%	65.75%
NV	43.80%	40.83%	15.37%	56.20%
NY	38.02%	43.44%	18.53%	61.98%
OH	41.68%	46.98%	11.34%	58.32%
OK	52.75%	34.49%	12.76%	47.25%
OR	51.30%	36.62%	12.07%	48.70%
PA	46.51%	39.25%	14.24%	53.49%
RI	61.50%	27.02%	11.47%	38.50%
SC	40.61%	39.92%	19.47%	59.39%
SD	55.90%	37.11%	6.99%	44.10%
TN	38.23%	43.72%	18.06%	61.77%
TX	44.05%	40.96%	14.99%	55.95%
UT	34.47%	56.02%	9.51%	65.53%
VA	39.76%	42.14%	18.10%	60.24%
VT	54.72%	32.12%	13.16%	45.28%
WA	46.72%	42.01%	11.27%	53.28%
WI	58.49%	31.91%	9.60%	41.51%
WV	44.48%	40.44%	15.08%	55.52%
WY	47.96%	45.59%	6.45%	52.04%



Table 7: Activities of Daily Living - Toileting - Percent of Patients and Dependency, September 2011

State	Independent	Assisted	Dependent	Total Toileting Dependence
US	14.62%	58.13%	27.25%	85.38%
AK	11.80%	55.90%	32.30%	88.20%
AL	13.46%	49.70%	36.84%	86.54%
AR	19.27%	50.47%	30.26%	80.73%
AZ	13.48%	60.20%	26.32%	86.52%
CA	11.93%	52.73%	35.34%	88.07%
CO	17.38%	62.58%	20.04%	82.62%
CT	18.94%	50.24%	30.82%	81.06%
DC	15.22%	41.82%	42.97%	84.78%
DE	15.52%	49.79%	34.69%	84.48%
FL	11.10%	56.52%	32.38%	88.90%
GA	12.84%	49.51%	37.65%	87.16%
HI	3.79%	54.27%	41.94%	96.21%
IA	19.83%	62.61%	17.56%	80.17%
ID	11.70%	67.79%	20.51%	88.30%
IL	26.00%	57.30%	16.70%	74.00%
IN	13.77%	67.39%	18.84%	86.23%
KS	22.09%	59.84%	18.07%	77.91%
KY	11.19%	59.78%	29.03%	88.81%
LA	20.27%	52.45%	27.29%	79.73%
MA	12.85%	56.86%	30.30%	87.15%
MD	11.08%	48.96%	39.96%	88.92%
ME	4.47%	74.98%	20.55%	95.53%
MI	10.78%	66.84%	22.39%	89.22%
MN	16.57%	69.89%	13.54%	83.43%
MO	23.12%	56.44%	20.44%	76.88%
MS	16.26%	59.62%	24.13%	83.74%
MT	14.48%	69.72%	15.81%	85.52%
NC	10.03%	57.63%	32.34%	89.97%
ND	17.99%	70.59%	11.42%	82.01%
NE	15.45%	64.89%	19.66%	84.55%
NH	17.74%	63.39%	18.87%	82.26%
NJ	16.43%	52.23%	31.34%	83.57%
NM	12.53%	62.53%	24.95%	87.47%
NV	11.37%	61.16%	27.47%	88.63%
NY	12.51%	57.37%	30.12%	87.49%
OH	12.35%	65.60%	22.05%	87.65%
OK	24.90%	50.65%	24.44%	75.10%
OR	10.03%	60.87%	29.09%	89.97%
PA	11.07%	63.42%	25.50%	88.93%
RI	21.97%	54.44%	23.60%	78.03%
SC	5.96%	53.86%	40.19%	94.04%
SD	19.43%	69.62%	10.95%	80.57%
TN	10.04%	58.44%	31.52%	89.96%
TX	17.11%	53.00%	29.88%	82.89%
UT	10.24%	70.08%	19.68%	89.76%
VA	11.76%	53.71%	34.53%	88.24%
VT	11.58%	63.71%	24.71%	88.42%
WA	10.21%	68.58%	21.21%	89.79%
WI	15.99%	64.40%	19.62%	84.01%
WV	12.90%	56.28%	30.82%	87.10%
WY	17.82%	63.99%	18.19%	82.18%



Table 8: Activities of Daily Living - Transferring - Percent of Patients and Dependency, September 2011

State	Independent	Assisted	Dependent	Total Transferring Dependent
US	17.74%	59.34%	22.92%	82.26%
AK	15.57%	50.00%	34.43%	84.43%
AL	16.29%	52.83%	30.88%	83.71%
AR	24.45%	51.25%	24.30%	75.55%
AZ	16.50%	61.20%	22.30%	83.50%
CA	13.90%	56.55%	29.55%	86.10%
CO	21.01%	62.51%	16.47%	78.99%
CT	22.59%	51.73%	25.68%	77.41%
DC	18.44%	43.58%	37.98%	81.56%
DE	19.13%	54.49%	26.38%	80.87%
FL	12.97%	59.63%	27.39%	87.03%
GA	16.18%	54.89%	28.93%	83.82%
HI	5.31%	59.68%	35.01%	94.69%
IA	26.31%	59.65%	14.03%	73.69%
ID	13.23%	67.24%	19.54%	86.77%
IL	29.19%	56.21%	14.60%	70.81%
IN	16.56%	66.57%	16.86%	83.44%
KS	26.69%	58.64%	14.67%	73.31%
KY	13.93%	61.12%	24.95%	86.07%
LA	23.29%	54.04%	22.67%	76.71%
MA	15.90%	60.80%	23.31%	84.10%
MD	13.87%	51.84%	34.28%	86.13%
ME	7.26%	73.63%	19.11%	92.74%
MI	13.95%	65.98%	20.07%	86.05%
MN	21.96%	63.79%	14.25%	78.04%
MO	28.04%	54.83%	17.13%	71.96%
MS	19.48%	57.80%	22.72%	80.52%
MT	18.17%	69.07%	12.76%	81.83%
NC	12.05%	60.07%	27.89%	87.95%
ND	23.67%	64.26%	12.08%	76.33%
NE	21.01%	62.78%	16.21%	78.99%
NH	23.06%	60.84%	16.10%	76.94%
NJ	18.69%	55.66%	25.65%	81.31%
NM	15.75%	63.39%	20.85%	84.25%
NV	13.42%	64.79%	21.78%	86.58%
NY	15.97%	58.20%	25.83%	84.03%
OH	15.05%	66.02%	18.94%	84.95%
OK	29.01%	49.72%	21.27%	70.99%
OR	12.42%	64.41%	23.18%	87.58%
PA	13.81%	63.27%	22.92%	86.19%
RI	26.60%	54.84%	18.56%	73.40%
SC	8.48%	61.38%	30.13%	91.52%
SD	24.85%	65.00%	10.15%	75.15%
TN	13.02%	59.72%	27.26%	86.98%
TX	19.73%	57.38%	22.89%	80.27%
UT	11.70%	71.95%	16.35%	88.30%
VA	14.44%	57.07%	28.49%	85.56%
VT	16.67%	62.76%	20.57%	83.33%
WA	13.10%	69.40%	17.50%	86.90%
WI	19.58%	61.93%	18.49%	80.42%
WV	15.82%	60.77%	23.42%	84.18%
WY	25.60%	59.45%	14.95%	74.40%



Table 9: Medical Condition - Bladder and Bowel Status, September 2011

State	Catheter	Catheter at Admission*	Bladder Incontinent	Bowel Incontinent	Training Program**
US	5.77%	4.15%	56.99%	46.47%	12.18%
AK	10.33%	6.56%	58.69%	50.49%	13.44%
AL	4.84%	3.64%	62.60%	53.86%	15.43%
AR	5.05%	3.44%	56.52%	45.36%	8.13%
AZ	8.65%	7.29%	52.88%	46.04%	3.23%
CA	6.51%	5.30%	50.30%	45.17%	6.55%
CO	7.88%	5.87%	53.12%	40.75%	3.46%
CT	4.44%	3.11%	54.69%	44.20%	12.05%
DC	3.33%	2.91%	66.04%	60.33%	8.24%
DE	3.72%	2.75%	59.31%	48.57%	23.76%
FL	5.74%	4.61%	55.01%	49.20%	14.67%
GA	4.32%	3.17%	62.62%	56.26%	11.01%
HI	3.98%	2.84%	68.22%	58.91%	10.56%
IA	6.02%	3.80%	57.46%	32.53%	2.74%
ID	7.75%	5.57%	60.90%	43.08%	12.02%
IL	5.30%	3.85%	47.16%	36.15%	11.04%
IN	5.93%	3.89%	55.53%	43.10%	17.02%
KS	5.11%	3.43%	58.22%	37.99%	22.92%
KY	6.85%	4.72%	58.00%	48.33%	15.80%
LA	6.24%	3.42%	53.07%	48.51%	4.76%
MA	5.30%	3.71%	60.05%	47.60%	4.89%
MD	5.52%	3.90%	63.54%	55.52%	18.95%
ME	6.28%	4.23%	70.32%	50.75%	25.87%
MI	5.85%	4.50%	56.30%	42.73%	16.07%
MN	5.79%	3.93%	60.57%	40.10%	21.48%
MO	4.85%	3.32%	51.76%	38.72%	10.00%
MS	5.32%	3.18%	59.66%	52.01%	3.27%
MT	7.22%	5.10%	56.94%	35.08%	11.35%
NC	5.49%	3.60%	63.18%	56.54%	8.05%
ND	6.26%	4.27%	60.40%	37.94%	8.91%
NE	7.84%	5.17%	57.98%	35.54%	11.44%
NH	6.13%	4.48%	58.69%	39.04%	15.94%
NJ	5.02%	4.03%	52.83%	45.21%	9.91%
NM	6.59%	5.03%	54.68%	47.66%	11.00%
NV	9.17%	8.47%	50.04%	51.52%	4.13%
NY	5.20%	3.62%	60.69%	51.68%	5.65%
OH	6.06%	4.22%	52.72%	39.20%	17.80%
OK	5.99%	4.27%	53.00%	42.22%	13.73%
OR	9.13%	7.13%	57.34%	49.13%	11.77%
PA	5.92%	4.22%	63.14%	51.20%	23.67%
RI	4.15%	2.85%	51.68%	37.86%	9.18%
SC	4.56%	3.21%	66.42%	59.96%	8.39%
SD	6.33%	4.31%	59.57%	34.00%	13.76%
TN	5.84%	3.86%	59.37%	52.34%	17.81%
TX	5.54%	3.78%	58.44%	51.53%	7.50%
UT	7.90%	5.84%	58.00%	43.36%	12.69%
VA	5.20%	3.98%	61.31%	53.68%	13.48%
VT	7.44%	4.74%	65.81%	48.51%	20.11%
WA	8.15%	6.46%	58.99%	46.36%	11.15%
WI	6.82%	4.91%	58.29%	38.50%	27.89%
WV	6.24%	4.05%	60.23%	52.99%	7.90%
WY	6.99%	4.62%	56.12%	33.35%	23.48%

Source: CMS Form 672: F78, F94 - F99. *As a percentage of those patients with a catheter at the time of the survey. **Total patients in bladder and/or bowel training.
LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 10: Medical Condition - Medications, September 2011

State	Psychoactive Medication*	Antibiotics	Pain Management
US	65.16%	8.62%	33.98%
AK	59.67%	9.34%	31.31%
AL	70.44%	9.12%	44.97%
AR	65.96%	8.55%	26.77%
AZ	62.57%	13.67%	38.75%
CA	57.17%	8.50%	25.03%
CO	66.01%	9.06%	41.15%
CT	68.29%	7.27%	23.88%
DC	48.22%	6.40%	31.66%
DE	61.15%	8.36%	33.07%
FL	65.24%	10.43%	32.68%
GA	69.69%	8.03%	31.06%
HI	44.88%	8.04%	36.55%
IA	67.01%	8.39%	45.67%
ID	71.31%	11.35%	58.57%
IL	66.50%	8.06%	28.21%
IN	66.67%	9.10%	32.80%
KS	69.89%	8.89%	43.96%
KY	70.05%	9.96%	29.98%
LA	69.87%	7.73%	22.16%
MA	72.44%	7.74%	31.54%
MD	58.14%	7.89%	30.41%
ME	71.89%	7.53%	44.10%
MI	61.60%	8.64%	47.17%
MN	61.87%	7.53%	53.09%
MO	69.47%	8.06%	30.04%
MS	68.30%	8.55%	25.38%
MT	65.44%	6.47%	39.31%
NC	67.23%	9.88%	33.08%
ND	68.48%	7.75%	54.95%
NE	67.01%	9.41%	43.80%
NH	70.20%	8.48%	43.45%
NJ	57.23%	7.56%	34.17%
NM	62.46%	7.90%	35.90%
NV	60.22%	11.48%	28.69%
NY	58.80%	7.03%	36.46%
OH	68.12%	9.40%	30.08%
OK	69.57%	8.19%	38.25%
OR	63.60%	10.38%	44.98%
PA	66.52%	8.80%	36.75%
RI	69.66%	7.10%	32.80%
SC	64.59%	9.26%	33.91%
SD	66.39%	9.39%	48.39%
TN	72.52%	9.74%	41.33%
TX	67.12%	8.19%	26.18%
UT	69.05%	10.54%	34.90%
VA	64.24%	9.99%	30.21%
VT	67.46%	7.79%	46.51%
WA	63.36%	9.99%	42.45%
WI	64.69%	8.45%	49.01%
WV	65.10%	9.27%	22.94%
WY	66.69%	9.74%	37.30%

Source: CMS Form 672: F78, F133 - F139. *Includes antipsychotic, antianxiety, antidepressant, and hypnotic medications.
LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 11: Medical Condition - Mobility, September 2011

State	Bedfast	Chairbound	Ambulatory*	Physically Restrained	W/Orders for Restraint**	Contractures
US	3.51%	56.84%	40.74%	2.97%	0.48%	25.66%
AK	4.92%	60.98%	34.10%	0.49%	0.16%	56.89%
AL	6.20%	58.02%	34.51%	2.35%	0.45%	38.79%
AR	3.92%	56.81%	38.35%	3.70%	0.65%	17.05%
AZ	4.77%	60.14%	35.53%	1.64%	0.03%	22.33%
CA	4.87%	56.24%	39.01%	5.57%	1.77%	25.19%
CO	1.90%	55.50%	42.59%	3.17%	0.36%	22.17%
CT	1.90%	51.85%	52.94%	2.18%	0.26%	15.77%
DC	2.11%	58.68%	42.32%	1.46%	0.31%	25.87%
DE	3.37%	61.25%	36.01%	2.32%	0.74%	28.96%
FL	3.42%	64.60%	32.37%	3.37%	0.31%	19.95%
GA	6.04%	61.13%	31.44%	2.71%	0.22%	32.82%
HI	5.89%	64.30%	27.56%	4.75%	1.91%	42.81%
IA	0.91%	42.74%	60.49%	1.72%	0.16%	29.08%
ID	3.01%	53.53%	40.30%	3.17%	0.67%	29.60%
IL	1.68%	49.26%	50.70%	2.76%	0.48%	24.84%
IN	2.57%	53.23%	44.59%	1.79%	0.21%	20.40%
KS	1.63%	52.06%	46.35%	1.04%	0.10%	25.20%
KY	6.37%	59.60%	34.08%	4.84%	0.67%	22.94%
LA	6.26%	49.87%	39.06%	6.29%	1.02%	30.88%
MA	2.08%	48.95%	52.99%	2.87%	0.25%	17.27%
MD	5.40%	62.09%	31.28%	2.85%	0.48%	23.19%
ME	3.06%	49.67%	53.90%	0.78%	0.12%	27.44%
MI	2.63%	61.78%	37.55%	3.43%	0.37%	22.29%
MN	1.33%	49.91%	52.21%	1.42%	0.17%	23.75%
MO	1.41%	53.08%	43.60%	2.31%	0.31%	19.29%
MS	6.08%	59.49%	31.26%	6.12%	0.55%	40.10%
MT	2.22%	41.51%	54.32%	2.20%	0.71%	36.92%
NC	6.44%	56.35%	31.86%	2.75%	0.17%	29.22%
ND	1.37%	49.26%	57.34%	1.54%	0.09%	36.56%
NE	1.31%	51.40%	50.08%	1.17%	0.40%	31.84%
NH	2.70%	48.27%	56.06%	0.87%	0.09%	28.06%
NJ	3.36%	63.55%	39.25%	2.90%	0.43%	15.90%
NM	2.02%	55.33%	33.42%	2.27%	0.43%	25.41%
NV	5.39%	58.38%	41.28%	2.46%	0.45%	25.44%
NY	1.88%	60.56%	43.10%	2.98%	0.65%	34.34%
OH	3.09%	51.13%	48.68%	3.50%	0.46%	29.29%
OK	4.95%	53.51%	38.09%	2.34%	0.58%	21.07%
OR	5.68%	59.70%	35.66%	2.44%	0.37%	28.33%
PA	3.31%	61.28%	35.53%	2.48%	0.29%	21.88%
RI	2.41%	34.49%	65.56%	0.99%	0.08%	21.07%
SC	4.62%	65.20%	27.66%	4.76%	0.12%	34.02%
SD	0.94%	47.85%	51.32%	1.15%	0.17%	37.95%
TN	5.22%	59.84%	35.58%	5.05%	0.50%	23.26%
TX	4.82%	62.38%	31.79%	2.16%	0.37%	25.21%
UT	3.30%	52.05%	44.71%	4.31%	0.47%	28.20%
VA	5.26%	63.10%	31.51%	1.03%	0.14%	28.00%
VT	3.26%	49.88%	48.82%	0.74%	0.28%	27.87%
WA	4.00%	59.78%	37.17%	1.15%	0.20%	27.35%
WI	1.85%	57.62%	47.10%	0.99%	0.14%	25.72%
WV	4.70%	59.70%	32.14%	2.88%	0.26%	35.98%
WY	1.83%	43.67%	52.96%	2.25%	0.21%	23.23%

Source: CMS Form 672: F78, F100 - F106. *Percentage of patients that ambulate independently or w/assistive devices. **As a percentage of patients physically restrained.
LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 12: Medical Condition - Mental Status, September 2011

State	Mental Retardation	Depression	Psych Diagnosis	Dementia	Behavior Symptoms
US	2.52%	48.82%	25.35%	47.27%	26.36%
AK	1.97%	49.18%	18.20%	41.48%	23.28%
AL	4.31%	48.26%	29.88%	53.18%	20.36%
AR	4.08%	41.31%	24.51%	46.86%	22.65%
AZ	1.24%	44.42%	21.29%	39.24%	26.44%
CA	2.48%	36.32%	23.41%	38.64%	25.76%
CO	1.65%	52.74%	18.56%	46.32%	31.43%
CT	2.22%	44.23%	19.79%	49.62%	20.54%
DC	0.96%	29.47%	23.07%	43.08%	21.85%
DE	2.22%	43.39%	23.73%	48.64%	31.30%
FL	1.42%	46.57%	27.88%	46.59%	25.14%
GA	4.24%	60.54%	27.36%	49.68%	36.14%
HI	2.60%	39.26%	6.31%	54.59%	28.67%
IA	3.48%	58.92%	20.61%	49.64%	28.30%
ID	2.50%	56.65%	22.52%	45.18%	34.71%
IL	2.12%	52.59%	28.49%	40.69%	31.03%
IN	3.85%	44.42%	21.37%	49.86%	21.81%
KS	2.09%	57.84%	27.99%	48.30%	30.32%
KY	3.56%	48.02%	30.47%	51.94%	26.65%
LA	2.65%	53.89%	38.45%	42.75%	26.37%
MA	1.53%	50.04%	26.64%	54.04%	31.60%
MD	1.92%	38.82%	19.49%	43.60%	19.12%
ME	1.98%	60.15%	21.63%	54.92%	35.35%
MI	1.60%	43.77%	20.61%	55.86%	21.42%
MN	1.25%	55.72%	24.91%	46.21%	31.20%
MO	3.88%	49.39%	27.35%	44.52%	26.23%
MS	3.25%	54.03%	35.30%	50.21%	24.88%
MT	3.80%	56.03%	18.19%	44.06%	26.51%
NC	2.59%	49.10%	23.77%	45.54%	24.52%
ND	2.51%	59.79%	30.33%	54.31%	23.93%
NE	2.95%	60.10%	25.41%	42.89%	30.02%
NH	1.67%	58.51%	28.53%	57.74%	29.14%
NJ	3.01%	34.08%	19.83%	44.65%	21.34%
NM	1.47%	52.30%	24.43%	46.86%	27.00%
NV	1.82%	34.93%	21.36%	38.91%	17.81%
NY	1.90%	41.46%	20.18%	48.69%	23.23%
OH	2.57%	62.40%	31.60%	46.52%	31.89%
OK	3.67%	49.07%	25.58%	44.81%	23.16%
OR	2.41%	40.45%	18.01%	43.36%	25.45%
PA	2.09%	48.89%	23.49%	49.03%	25.48%
RI	1.33%	45.55%	18.39%	49.79%	18.33%
SC	2.73%	45.35%	24.13%	58.31%	27.85%
SD	2.22%	60.45%	23.79%	51.96%	29.81%
TN	2.62%	52.34%	33.04%	52.16%	26.93%
TX	2.96%	53.21%	31.46%	49.29%	25.74%
UT	3.69%	56.34%	19.13%	39.71%	37.48%
VA	3.31%	49.41%	22.12%	46.23%	26.13%
VT	1.54%	59.63%	23.24%	52.72%	29.94%
WA	3.36%	54.08%	21.35%	45.02%	29.91%
WI	1.21%	53.74%	21.11%	48.69%	24.43%
WV	4.36%	58.70%	35.56%	56.11%	28.91%
WY	1.58%	52.87%	17.53%	47.84%	28.98%

Source: CMS Form 672: F78, F108 - F114
LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 13: Medical Condition - Weight Loss and Communication, September 2011

State	Unplanned Weight Loss/Gain	Non-English Speaking	Non-Oral Communication Devices
US	7.08%	3.15%	2.86%
AK	9.34%	2.79%	7.70%
AL	9.33%	0.34%	2.42%
AR	9.09%	0.49%	1.98%
AZ	7.31%	5.79%	1.74%
CA	6.50%	11.91%	6.54%
CO	7.45%	2.29%	3.17%
CT	4.45%	3.33%	1.43%
DC	4.06%	0.92%	2.64%
DE	7.57%	1.84%	2.15%
FL	4.67%	4.56%	1.78%
GA	8.54%	1.16%	2.99%
HI	8.38%	10.66%	16.79%
IA	8.47%	0.37%	2.94%
ID	6.03%	1.55%	3.10%
IL	8.08%	2.53%	3.55%
IN	8.04%	0.53%	2.14%
KS	8.11%	0.63%	3.27%
KY	7.13%	0.46%	2.29%
LA	8.85%	1.89%	3.67%
MA	5.04%	4.77%	1.97%
MD	5.92%	1.87%	3.52%
ME	9.28%	0.72%	2.50%
MI	7.33%	1.15%	2.63%
MN	7.27%	0.89%	2.78%
MO	7.83%	0.51%	1.65%
MS	9.02%	0.40%	3.51%
MT	8.96%	1.04%	8.82%
NC	8.66%	0.70%	2.63%
ND	8.89%	0.64%	2.72%
NE	8.02%	0.67%	5.47%
NH	6.80%	1.22%	3.60%
NJ	4.84%	6.20%	2.25%
NM	7.57%	5.65%	2.66%
NV	7.50%	4.10%	3.83%
NY	4.98%	6.98%	2.10%
OH	8.06%	0.78%	2.18%
OK	8.02%	0.97%	1.80%
OR	7.37%	1.81%	3.97%
PA	7.60%	1.50%	1.38%
RI	6.24%	3.58%	1.91%
SC	8.65%	0.35%	2.81%
SD	9.52%	0.55%	4.39%
TN	7.84%	0.50%	2.31%
TX	6.64%	3.79%	2.90%
UT	6.55%	3.13%	4.57%
VA	7.99%	1.29%	1.50%
VT	6.95%	0.67%	1.61%
WA	7.09%	2.57%	4.84%
WI	7.10%	0.54%	2.21%
WV	10.19%	0.26%	4.91%
WY	8.66%	1.12%	2.08%

Source: CMS Form 672: F78, F140 - F142
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 14: Medical Condition - Advance Directives and Vaccinations, September 2011

State	Advance Directives	Influenza Immunization	Pneumococcal Vaccine
US	58.72%	70.44%	62.14%
AK	63.11%	79.84%	62.46%
AL	40.23%	65.86%	61.62%
AR	65.67%	82.18%	76.63%
AZ	69.54%	65.22%	61.29%
CA	54.61%	67.75%	59.77%
CO	75.31%	70.91%	68.09%
CT	66.18%	74.49%	63.25%
DC	38.60%	77.27%	59.26%
DE	53.56%	75.64%	69.34%
FL	57.35%	55.92%	44.87%
GA	49.00%	69.95%	64.96%
HI	67.64%	83.37%	86.29%
IA	76.86%	83.02%	77.31%
ID	67.24%	67.49%	64.60%
IL	50.18%	63.99%	47.70%
IN	64.43%	69.00%	57.10%
KS	73.27%	76.69%	67.33%
KY	59.85%	72.75%	64.89%
LA	40.52%	63.12%	67.70%
MA	72.67%	78.02%	67.64%
MD	53.18%	70.57%	60.34%
ME	72.11%	77.03%	67.33%
MI	74.26%	66.53%	60.25%
MN	60.71%	80.39%	76.60%
MO	57.81%	70.95%	54.96%
MS	42.18%	69.57%	73.09%
MT	71.02%	67.56%	63.87%
NC	52.87%	66.23%	62.16%
ND	63.01%	84.20%	79.36%
NE	73.89%	74.59%	76.92%
NH	82.97%	80.23%	78.16%
NJ	41.39%	73.74%	62.90%
NM	56.33%	60.84%	54.45%
NV	40.10%	50.94%	47.09%
NY	63.03%	79.04%	71.98%
OH	58.06%	65.60%	53.56%
OK	42.62%	73.29%	48.56%
OR	54.73%	62.85%	57.71%
PA	59.18%	75.52%	63.78%
RI	70.21%	65.17%	54.20%
SC	57.00%	73.80%	75.37%
SD	71.61%	81.96%	78.21%
TN	71.57%	70.98%	58.55%
TX	47.01%	63.42%	57.02%
UT	76.99%	68.45%	63.96%
VA	48.09%	72.18%	62.96%
VT	66.58%	75.54%	80.80%
WA	66.12%	68.71%	64.11%
WI	83.95%	84.03%	85.51%
WV	69.90%	62.25%	54.27%
WY	77.06%	71.61%	67.94%

Source: CMS Form 672: F78, F143 - F145
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 15: Medical Condition - Skin Integrity, September 2011

State	Pressure Sores	Pressure Sores at Admission	Preventative Skin Care	Rashes
US	6.53%	3.63%	76.17%	5.06%
AK	6.07%	4.43%	71.31%	11.31%
AL	5.68%	3.59%	86.57%	3.23%
AR	5.71%	2.70%	78.64%	3.86%
AZ	7.72%	4.52%	72.16%	5.49%
CA	7.44%	5.09%	63.55%	5.26%
CO	5.15%	2.39%	77.57%	3.94%
CT	4.87%	2.58%	59.05%	4.51%
DC	9.05%	4.41%	80.18%	4.91%
DE	5.87%	3.03%	78.44%	6.45%
FL	7.22%	4.96%	80.42%	4.69%
GA	6.80%	3.61%	78.61%	5.77%
HI	5.41%	2.76%	85.52%	10.34%
IA	4.30%	1.56%	77.95%	4.82%
ID	4.86%	2.80%	79.91%	8.42%
IL	6.37%	3.63%	76.36%	5.08%
IN	6.00%	2.79%	79.21%	3.15%
KS	4.94%	2.26%	67.30%	6.25%
KY	6.74%	3.24%	77.72%	4.37%
LA	7.52%	3.15%	80.38%	6.06%
MA	5.17%	2.54%	79.17%	3.57%
MD	7.88%	4.43%	82.17%	3.50%
ME	6.23%	2.73%	76.12%	9.21%
MI	6.52%	4.17%	78.24%	4.31%
MN	4.15%	2.01%	75.24%	6.95%
MO	5.60%	2.47%	68.26%	4.42%
MS	6.90%	3.56%	81.50%	4.73%
MT	4.54%	2.49%	85.02%	6.74%
NC	7.78%	3.80%	75.28%	4.74%
ND	4.29%	1.80%	84.39%	5.40%
NE	4.85%	2.08%	86.54%	6.92%
NH	4.84%	2.23%	81.33%	9.14%
NJ	7.28%	4.86%	69.98%	3.46%
NM	6.72%	3.30%	69.61%	4.87%
NV	10.13%	6.84%	68.60%	5.58%
NY	7.65%	4.83%	75.36%	6.81%
OH	5.98%	3.24%	84.23%	6.02%
OK	6.49%	2.99%	55.41%	2.96%
OR	8.05%	3.86%	75.02%	6.96%
PA	7.06%	3.67%	85.39%	4.00%
RI	4.69%	2.05%	74.77%	4.59%
SC	7.36%	3.70%	83.86%	5.45%
SD	4.34%	1.89%	82.39%	5.10%
TN	6.37%	3.52%	79.27%	3.96%
TX	6.98%	3.42%	72.25%	4.09%
UT	5.90%	3.05%	83.77%	8.05%
VA	7.22%	4.22%	77.59%	5.52%
VT	4.56%	2.42%	73.43%	9.62%
WA	6.49%	3.66%	75.58%	8.09%
WI	5.01%	2.47%	74.71%	5.63%
WV	6.82%	3.65%	86.83%	8.95%
WY	4.20%	2.00%	72.90%	2.87%

Source: CMS Form 672: F78, F115 - F118
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 16: Medical Condition - Special Care, September 2011

State	Hospice Care	Radiation Therapy	Chemotherapy	Dialysis	IV Therapy (Nutrition or Blood)
US	4.68%	0.11%	0.34%	1.87%	1.81%
AK	0.16%	0.16%	0.66%	2.46%	4.10%
AL	5.14%	0.04%	0.20%	1.69%	1.11%
AR	4.37%	0.03%	0.19%	1.14%	0.91%
AZ	6.20%	0.09%	0.19%	3.05%	4.19%
CA	3.02%	0.08%	0.18%	2.46%	2.37%
CO	5.62%	0.07%	0.17%	1.13%	1.79%
CT	2.18%	0.09%	0.28%	1.48%	1.20%
DC	2.03%	0.08%	1.00%	3.41%	1.26%
DE	8.40%	0.02%	0.10%	2.32%	0.91%
FL	6.81%	0.11%	0.16%	1.92%	2.16%
GA	5.43%	0.08%	0.33%	2.41%	1.61%
HI	2.44%	0.19%	0.27%	2.20%	1.96%
IA	6.31%	0.07%	0.35%	1.05%	1.26%
ID	3.28%	0.16%	0.35%	1.76%	2.47%
IL	4.34%	0.12%	0.26%	1.72%	1.88%
IN	4.87%	0.09%	0.39%	1.69%	2.09%
KS	5.76%	0.09%	0.41%	0.98%	0.86%
KY	2.74%	0.09%	0.41%	1.55%	1.44%
LA	5.61%	0.12%	0.39%	2.14%	2.92%
MA	4.96%	0.13%	0.25%	1.23%	1.30%
MD	2.55%	0.07%	0.25%	3.24%	2.52%
ME	5.68%	0.14%	0.34%	1.09%	1.51%
MI	4.94%	0.14%	0.29%	1.99%	1.98%
MN	3.42%	0.08%	0.60%	1.28%	1.67%
MO	7.10%	0.12%	0.23%	1.40%	1.09%
MS	2.58%	0.05%	0.68%	2.16%	1.21%
MT	2.45%	0.06%	0.19%	0.89%	1.99%
NC	3.86%	0.09%	0.29%	2.33%	1.97%
ND	2.66%	0.02%	0.43%	1.51%	1.71%
NE	5.02%	0.10%	0.38%	1.12%	1.42%
NH	3.80%	0.04%	0.28%	0.97%	0.78%
NJ	3.95%	0.14%	0.33%	2.31%	1.72%
NM	5.97%	0.04%	0.19%	1.72%	2.57%
NV	5.04%	0.09%	0.17%	2.07%	5.79%
NY	1.58%	0.10%	0.82%	2.10%	1.41%
OH	6.35%	0.13%	0.48%	2.05%	2.11%
OK	11.22%	0.06%	0.11%	1.27%	1.16%
OR	3.75%	0.08%	0.26%	1.50%	2.66%
PA	5.11%	0.13%	0.40%	1.60%	1.53%
RI	6.80%	0.20%	0.23%	1.22%	2.46%
SC	5.84%	0.06%	0.13%	2.19%	0.82%
SD	2.74%	0.05%	0.55%	1.03%	1.31%
TN	4.30%	0.29%	0.21%	1.67%	1.49%
TX	7.42%	0.12%	0.23%	2.17%	1.96%
UT	7.10%	0.13%	0.22%	1.42%	4.04%
VA	3.18%	0.12%	0.33%	2.14%	1.84%
VT	0.74%	0.14%	0.39%	0.91%	0.81%
WA	2.53%	0.16%	0.41%	1.66%	2.56%
WI	3.98%	0.13%	0.37%	1.43%	1.48%
WV	3.12%	0.07%	0.25%	1.05%	4.32%
WY	0.96%	0.04%	0.17%	0.71%	1.08%

Source: CMS Form 672: F78, F119 - F123
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 16: Medical Condition - Special Care, September 2011

State	Respiratory Therapy	Tracheostomy Care	Ostomy Care	Suctioning	Injections
US	14.65%	1.19%	4.37%	1.47%	21.36%
AK	13.61%	2.13%	8.36%	2.62%	32.79%
AL	16.25%	0.42%	5.87%	0.82%	21.92%
AR	14.55%	0.37%	4.53%	1.18%	18.27%
AZ	18.40%	2.15%	3.22%	2.18%	25.66%
CA	13.58%	3.81%	6.65%	4.38%	23.25%
CO	28.47%	0.63%	2.99%	0.72%	16.58%
CT	13.74%	0.56%	2.47%	0.67%	18.82%
DC	8.36%	1.53%	6.02%	2.15%	25.68%
DE	13.32%	0.98%	3.51%	1.34%	20.65%
FL	16.75%	0.94%	5.10%	1.24%	24.70%
GA	13.30%	0.60%	5.66%	1.00%	23.28%
HI	7.77%	2.79%	10.32%	3.95%	16.63%
IA	13.96%	0.45%	2.76%	0.61%	15.32%
ID	21.36%	0.92%	3.98%	1.06%	24.18%
IL	11.85%	1.00%	4.29%	1.16%	22.14%
IN	14.05%	0.81%	3.44%	0.96%	21.71%
KS	15.20%	0.31%	2.54%	0.51%	18.01%
KY	18.68%	1.09%	6.54%	1.96%	23.61%
LA	9.61%	1.12%	6.29%	1.18%	20.16%
MA	11.33%	0.61%	2.32%	0.72%	17.25%
MD	12.28%	1.33%	3.85%	1.73%	23.70%
ME	13.18%	0.25%	2.64%	0.31%	17.83%
MI	14.81%	1.10%	3.51%	1.35%	21.49%
MN	13.80%	0.61%	2.95%	0.55%	17.90%
MO	13.43%	0.37%	2.43%	0.53%	21.08%
MS	12.30%	0.71%	8.06%	0.74%	23.41%
MT	19.23%	0.31%	2.74%	0.29%	16.84%
NC	14.59%	0.79%	4.29%	1.05%	23.90%
ND	14.78%	0.45%	3.43%	0.38%	18.11%
NE	15.50%	0.97%	4.36%	1.07%	16.98%
NH	14.62%	0.39%	2.39%	0.45%	16.71%
NJ	13.41%	1.71%	4.70%	1.91%	20.58%
NM	21.88%	0.48%	3.69%	0.71%	19.28%
NV	21.63%	2.69%	6.76%	3.21%	25.03%
NY	12.83%	2.03%	5.10%	2.54%	19.81%
OH	16.61%	1.14%	4.67%	1.25%	24.52%
OK	17.18%	0.88%	2.68%	1.13%	18.61%
OR	13.08%	0.75%	3.03%	0.99%	19.81%
PA	17.90%	1.20%	3.27%	1.43%	22.57%
RI	10.22%	0.39%	1.92%	0.45%	16.03%
SC	11.84%	0.71%	5.72%	1.08%	19.87%
SD	15.46%	0.28%	2.60%	0.37%	16.15%
TN	16.23%	0.63%	3.65%	1.03%	23.48%
TX	13.30%	0.85%	4.87%	1.12%	20.80%
UT	27.24%	1.39%	3.52%	1.44%	24.17%
VA	16.30%	1.03%	4.50%	1.66%	22.92%
VT	12.92%	0.63%	2.49%	0.81%	17.06%
WA	15.03%	1.12%	3.61%	1.30%	21.74%
WI	14.72%	0.58%	2.82%	0.61%	19.00%
WV	17.32%	0.36%	5.27%	0.49%	23.50%
WY	31.93%	0.08%	1.87%	0.12%	16.78%

Source: CMS Form 672: F78, F124 - F128
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



Table 16: Medical Condition - Special Care, September 2011

State	Tube Feeding	Mechanically Altered Diet	Special Rehab	Assistive Eating Device
US	5.71%	33.56%	25.02%	8.37%
AK	8.69%	35.25%	20.66%	7.87%
AL	8.00%	38.15%	21.23%	7.76%
AR	5.05%	32.52%	17.66%	5.85%
AZ	4.70%	33.48%	29.50%	6.38%
CA	11.43%	40.53%	23.79%	5.73%
CO	2.35%	28.19%	25.35%	11.29%
CT	2.99%	34.59%	22.94%	8.98%
DC	10.66%	30.36%	20.93%	2.34%
DE	4.39%	35.84%	25.02%	7.04%
FL	6.96%	36.03%	33.30%	8.17%
GA	6.98%	38.94%	21.50%	5.93%
HI	11.01%	56.18%	19.34%	6.98%
IA	1.79%	26.25%	15.23%	15.36%
ID	3.19%	33.60%	29.92%	14.98%
IL	4.65%	26.71%	21.85%	4.92%
IN	4.19%	28.56%	31.06%	8.73%
KS	2.16%	28.86%	19.21%	11.39%
KY	6.99%	36.15%	26.35%	11.76%
LA	7.79%	27.85%	26.06%	1.47%
MA	3.07%	35.32%	25.30%	11.86%
MD	7.51%	33.22%	25.13%	4.97%
ME	1.81%	41.24%	27.01%	15.12%
MI	5.36%	30.03%	27.65%	11.96%
MN	2.30%	23.92%	20.05%	12.05%
MO	3.19%	28.81%	21.64%	8.38%
MS	8.99%	36.57%	26.72%	4.23%
MT	2.28%	25.99%	15.95%	9.91%
NC	6.31%	39.05%	28.88%	9.00%
ND	2.44%	26.37%	13.36%	18.01%
NE	3.76%	25.71%	22.07%	13.61%
NH	1.58%	32.55%	26.74%	14.17%
NJ	6.88%	34.79%	25.54%	4.45%
NM	2.50%	39.01%	24.34%	7.18%
NV	8.64%	31.40%	31.08%	4.60%
NY	6.81%	33.17%	21.43%	8.03%
OH	4.98%	30.13%	27.48%	9.97%
OK	4.19%	31.10%	16.04%	3.49%
OR	3.69%	35.13%	29.65%	10.34%
PA	4.65%	37.12%	28.63%	12.68%
RI	2.20%	29.89%	22.52%	6.06%
SC	7.22%	40.80%	25.26%	7.60%
SD	1.17%	28.50%	15.04%	15.47%
TN	5.37%	40.17%	27.02%	7.14%
TX	6.74%	33.62%	25.84%	4.17%
UT	2.88%	31.92%	32.24%	5.60%
VA	6.17%	35.77%	26.60%	6.77%
VT	2.21%	34.68%	25.83%	13.72%
WA	4.63%	34.70%	30.61%	12.20%
WI	2.63%	29.00%	25.82%	15.52%
WV	4.03%	41.33%	28.15%	10.67%
WY	1.37%	28.23%	21.27%	14.07%

Source: CMS Form 672: F78, F129 - F132
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Glossary of Terms for use with CASPER data

Activities of Daily Living (ADL) are activities done during a normal day such as getting in and out of bed, dressing, bathing, eating, and using the bathroom. Patients are considered to be *independent* if they can execute an activity of daily living independent of direct care staff or with only “set up” assistance. Patients needing *assistance* can partially execute the activity of daily living but must have considerable assistance from direct care staff to successfully complete the activity. Patients who are *dependent* for an activity of daily living are not at all capable of executing the activity of daily living.

Advance Directive (Health Care) is a written health care directive prepared by patients in advance of needing to apply its contents which documents how a patient wants medical decisions to be made on their behalf in the event they become disabled and are unable to make their own health related decisions. A health care advance directive may include a Living Will and a Durable Power of Attorney for health care.

Certified Beds This measure represents the total number of certified beds in the nursing home. Some nursing homes can have a combination of Medicare, Medicaid, and/or private pay beds. Certified beds refer to those beds certified for use under the Medicare and/or Medicaid programs.

Certified Nursing Assistants (CNAs) provide care on a twenty-four hour basis. They work under the direction of a licensed nurse to assist patients with activities of daily living, i.e., eating, grooming, hygiene, dressing, transferring, and toileting. All full-time certified nursing assistants (CNAs) must have completed a competency evaluation program or nurse assistant training within 4 months of their permanent employment. They must also pursue continuing education each year.

Hospital-based - The nursing home is affiliated with a hospital.

Medicare is the federal health insurance program for: people 65 years of age or older, certain younger people with disabilities, and people with End-Stage Renal Disease (permanent kidney failure with dialysis or a transplant, sometimes called ESRD). Medicare pays for some nursing home care in specific situations and for no more than 100 days for each benefit period. A benefit period begins the day you go to a skilled nursing facility. The benefit period ends when you have not received skilled nursing care for 60 days in a row.

Medicaid is the joint federal and state program that helps with medical costs for some people with low incomes and limited resources. Medicaid programs vary from state to state, but most health care costs are covered if you qualify for both Medicare and Medicaid. Medicaid pays for long term care for people with low incomes and resources.

Multifacility - Multi-nursing home chains have two or more homes under one ownership or operation

Occupancy This measure indicates the percentage of certified beds occupied by patients at the time of the inspection. It is obtained by taking the number of patients occupying certified beds at the time of the inspection divided by the total number of certified beds in the nursing home.

Ownership - Nursing homes can be run by private for-profit corporations, non-profit corporations or government entities.

Patients in Certified Beds This number tells you how many patients in certified beds were living in the nursing home at the time of the inspection

Primary Payor is an insurance policy, plan, or program that pays first on a claim for medical care. This could be Medicare, Medicaid or other health insurance.

Registered Nurses and Licensed Practical and Vocational Nurses - Registered nurses (RNs) have between 2 and 6 years of education. Licensed practical and vocational nurses (LPNs/LVNs) generally have 1 year of training. By law, RNs must assess residents' needs. RNs and LPNs/LVNs work together to plan care, implement care and treatment, and evaluate residents' outcomes. Nurses must be licensed in the state and are on site to provide care to residents twenty-four hours per day, seven days a week.

Restraint is any physical or chemical way to stop a patient from being free to move. These restraints are used to prevent patient injury and are not used for treating medical symptoms.



American Health Care Association

1201 L Street, NW
Washington, DC, 20005
T: (202) 842-4444
Email: research@ahca.org